







ergonomic ✓  
innovative ✓  
safe ✓

	Slotted	PH	PZ	TorX	TorX TR	Hexagon Head	Ballpoint	Nutdriver	Square	XZN	TRI-WING	TORQ-SET	Five Star	Modul PH	Modul PZ
<b>MAXXPRO®</b> 	8	8	9	9	10		10	11	10		10				
<b>MAXXPRO® plus</b> 	16	16	17	17	18		18	18	18						
<b>MAXXPRO® VDE</b> 	22	22	22	23				23					22	22	
<b>PROTOP®</b> 	26	26	27	27	28			28	28						
<b>PROTOP® plus</b> 	32	32	33	33	33			33							
<b>PROTOP® VDE</b> 	36	36	36												
<b>TOPLUS®</b> 	39	39	40	40	41										
<b>TRIAx®</b> 	44	44	44	45					45						
<b>HOLZ</b> 	48	48	48												
<b>VSM</b> 	50	50	50												
<b>KLEMMFIX</b> 	51	51	51	51											
<b>PROTOP®</b> 				53		53		54		54					
<b>WITTRON®</b> 	57	57	57	57		57	58	58							

	Slotted	PH	PZ	Torx	Torx TR	Hexagon Head	Ballpoint	Nutdriver	Square	XZN	TRI-WING	TORQ-SET	Five Star	Modul PH	Modul PZ
<b>WITTRON® VDE</b>	60	60		60											
<b>ESD</b>	62	62		62				63							
<b>Miscellaneous Tools</b>									64						
<b>Picks &amp; Hooks</b>									65						
<b>Offset Screwdriver</b>	66	66		67		66	67			67					
<b>BITS</b>	79	76	77	80	81	81	82	82	82	83	83	81	82	82	
<b>Bit Holder for power tools</b>								84							
<b>BITDRIVE®</b>									86						
<b>COMBIT-BOX®</b>									89						
<b>PROBIT-BOX®</b>									92						
<b>BITCAS®</b>									94						



Displays for screwdrivers 70-73



Displays for bits 95-98

## Kirchhoff group

Witte Werkzeuge is the origin of the worldwide renowned Kirchhoff group. Being a global player, we employ more than 3,000 people on our production and cooperation sites in 10 European countries, the USA, Canada, Mexico and Brazil.

The values of the Kirchhoff group, which has been in the propriety of the family Kirchhoff for four generations, are clearly defined, i.e. global thinking, regional acting and the consequent claim to develop products that are oriented on the market and to maximise

their potential constantly. In this family business, which is rich in traditions, dynamism, innovation and modernism go along with responsibility, confidence and safety. Thus, the Kirchhoff group wants to benefit its customers by being a competent partner in the long term whilst guaranteeing them maximum benefits - and this in the three forward looking sectors - tools, automotive and environmental technology.

### **WITTE WERKZEUGE**

Witte Werkzeuge can look back to more than 200 years of experience and nowadays is one of the most important manufacturers of screw-driving tools on the international market. This success is based upon innovative developments, product security and quality. Witte tools stand up to the highest demands. They are ergonomically advanced and enable tireless and precise working.



## KIRCHHOFF AUTOMOTIVE

Kirchhoff, being a development supplier, is also a partner to basic equipment suppliers for cars and trucks, of system suppliers and of companies in the non-automotive sectors. With the sites of the automotive industry having a strategic importance, structural parts in the main techniques such as transformation, welding, assembling and surface treatment are produced with the help of computer technology. In addition to this, Kirchhoff is equipped with modern construction departments for the construction of prototypes and tool manufacturing.



## FAUN UMWELTTECHNIK

FAUN Umwelttechnik has maintained successfully for years its position as the European market leader in the sector of mobile waste disposal technology. Every day the modern vehicles for waste collection, road sweeping and wet cleaning, contribute to a safe disposal and economical recycling and thus to a cleaner environment.

## The new generation.


Four different handle sizes, four different shapes - MAXXPRO - being the first screwdriver line to take design in completely new ways. The handles are not scaled sizes, but are designed individually in outline, gravity centre and form. The principle hereby is to produce as much ergonomics as possible with as much ability to transfer force as necessary. The smaller the handle, the more rounded its shape, this in order to enable the fast, sensitive turning. The bigger the handle, the more edged its shape is in order to enable and optimize the ability to transfer force. The three handle materials, plus that of the blade, have been well chosen, and have been combined exactly - to give a comfortable and effective working tool.

MAXXPRO is based on scientific research and developments, including, for instance, the results of a research report undertaken by a German university on ergonomics which was carried out by their Head of

Department. The result was unique and one which we can be justifiably proud of.

- The proven triangle shape corresponds exactly to the ideal turning angle of the hand (120 °)
- Matt chromium plated blades which are permanently etched and made of the finest high alloy special steel wire in all profiles
- Black blade tips for an optimized precision
- An impact absorbing core
- A fast turning zone and anti-slip protection in soft plastics
- Practical bolster hole for storage in the workshop
- Exceptional anti-slip resistance due to the triangle shaped handle
- Available as MAXXPRO, MAXXPRO VDE and MAXXPRO PLUS - for use in wet or oily conditions.

maximum ergonomics




**As much ergonomics as possible with  
as much ability to transfer force as  
necessary.**

**PRO®**

## The perfectionist.

The one who has the highest demands needs a tool without making any compromise: MAXXPRO. The curved longitudinal outline of the ergonomic handles enables extremely high axial forces with very little effort. That is how a high application force is developed which effectively avoids the annoying slipping out of the screw, i.e. the so called Cam Out effect. The soft component on the edges provides a comfortable grip and enables the production of a maximum torque.

- The proven triangle shape corresponds exactly to the ideal turning angle of the hand (120 °)
- Fast turning zone of soft material makes work comfortable and safe
- Matt chromium-plated blades which are permanently etched and made of the finest high alloy special steel wire in all profiles
- Black blade tips for optimal precision





## 53100 Engineer's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	Ø mm	mm
53101	0,6 x 3,5	75	3,5	103 x 23
53102	0,6 x 3,5	100	3,5	103 x 23
53103	0,8 x 4,0	75	4,0	103 x 23
53104	0,8 x 4,0	100	4,0	103 x 23
53105	1,0 x 5,5	100	5,0	107 x 32
53106	1,0 x 5,5	125	5,0	107 x 32

art.-no.	mm	mm	Ø mm	mm
53107	1,2 x 6,5	125	6,0	117 x 37
53108	1,2 x 6,5	150	6,0	117 x 37
53109	1,2 x 8,0	150	7,0	127 x 39
53110	1,6 x 8,0	175	7,0	127 x 39
53111	1,6 x 10,0	200	8,0	127 x 39

## 53010 Engineer's Screwdriver

To DIN 5264 and ISO 2380 with hexagon to DIN 475 standards



art.-no.	mm	mm	Ø mm	mm
53011	1,0 x 5,5	100	8	5,5 107 x 32
53012	1,2 x 6,5	125	10	6,0 117 x 37

art.-no.	mm	mm	Ø mm	mm
53013	1,2 x 8,0	150	13	8,0 127 x 39
53014	1,6 x 10,0	175	13	8,0 127 x 39

## 53020 Electrician's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	Ø mm	mm
53021	0,5 x 3,0	75	3,0	103 x 23
53022	0,6 x 3,5	100	3,5	103 x 23
53023	0,6 x 4,0	300	4,0	103 x 23
53024	0,8 x 4,0	125	4,0	103 x 23

art.-no.	mm	mm	Ø mm	mm
53025	1,0 x 5,5	150	5,5	107 x 32
53026	1,0 x 5,5	200	5,5	107 x 32
53027	1,0 x 5,5	300	5,5	107 x 32

## 53030 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	+	mm	Ø mm	mm
53031	PH 0	60	3,0	103 x 23
53032	PH 1	80	4,5	107 x 32
53034	PH 1	300	4,5	107 x 32
53035	PH 2	100	6,0	117 x 37

art.-no.	+	mm	Ø mm	mm
53037	PH 2	300	6,0	117 x 37
53038	PH 3	150	8,0	127 x 39
53039	PH 4	200	10,0	127 x 39

## 53500 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, with hexagon to DIN 475 standards



art.-no.	+	mm	⊖	∅ mm	mm
53501	PH 1	80	6	4,5	107 x 32
53502	PH 2	100	10	6,0	117 x 37

art.-no.	+	mm	⊖	∅ mm	mm
53503	PH 3	150	13	8,0	127 x 39

## 53040 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.	+	mm	⊖	∅ mm	mm
53041	PZ 0	60	3,0	103 x 23	
53042	PZ 1	80	4,5	107 x 32	
53043	PZ 1	200	4,5	107 x 32	
53044	PZ 1	300	4,5	107 x 32	
53045	PZ 2	100	6,0	117 x 37	

art.-no.	+	mm	⊖	∅ mm	mm
53046	PZ 2	200	6,0	117 x 37	
53047	PZ 2	300	6,0	117 x 37	
53048	PZ 3	150	8,0	127 x 39	
53049	PZ 4	200	10,0	127 x 39	

## 53600 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws, with hexagon to DIN 475 standards



art.-no.	+	mm	⊖	∅ mm	mm
53601	PZ 1	80	6	4,5	107 x 32
53602	PZ 2	100	10	6,0	117 x 37

art.-no.	+	mm	⊖	∅ mm	mm
53603	PZ 3	150	13	8,0	127 x 39

## 53200 Torx Screwdriver



art.-no.	⊕	mm	⊖	∅ mm	mm	⊕
53201	T 5	60	3,0	103 x 23	M 1,6-2,0	
53202	T 6	60	3,0	103 x 23	M 1,6-2,0	
53203	T 7	60	3,0	103 x 23	M 1,6-2,0	
53204	T 8	60	3,0	103 x 23	M 2,5	
53205	T 9	60	3,0	103 x 23	M 3	
53206	T 10	80	3,5	103 x 23	M 3	
53207	T 15	80	3,5	103 x 23	M 3,5	

art.-no.	⊕	mm	⊖	∅ mm	mm	⊕
53208	T 20	100	4,5	107 x 32	M 4	
53209	T 25	100	4,5	107 x 32	M 5	
53210	T 27	115	6,0	117 x 37	M 5	
53211	T 30	115	6,0	117 x 37	M 6	
53212	T 40	115	7,0	127 x 39	M 8	
53213	T 45	130	8,0	127 x 39	M 8-10	

## 53300 Torx Screwdriver

Tamper proof for resistant TORX screws



art.-no.		mm	Ø mm	mm	
53303	T 7 TR	60	3,0	103 x 23	M 1,6-2,0
53304	T 8 TR	60	3,0	103 x 23	M 2,5
53305	T 9 TR	60	3,0	103 x 23	M 3
53306	T 10 TR	80	3,5	103 x 23	M 3
53307	T 15 TR	80	3,5	103 x 23	M 3,5
53308	T 20 TR	100	4,5	107 x 32	M 4

art.-no.		mm	Ø mm	mm	
53309	T 25 TR	100	4,5	107 x 32	M 5
53310	T 27 TR	115	6,0	117 x 37	M 5
53311	T 30 TR	115	6,0	117 x 37	M 6
53312	T 40 TR	115	7,0	127 x 39	M 8
53313	T 45 TR	130	8,0	127 x 39	M 8-10

## 53050 Ballpoint Screwdriver



art.-no.		mm	Ø mm	mm
53051	3,0	100	103 x 23	
53052	4,0	100	103 x 23	
53053	5,0	100	107 x 32	

art.-no.		mm	Ø mm	mm
53054	6,0	125	125	117 x 37
53055	8,0	150	150	127 x 39

## 53060 Square Drive Screwdriver



art.-no.		mm	Ø mm	mm
53061	1	100	4,5	107 x 32
53062	2	125	5,0	107 x 32

art.-no.		mm	Ø mm	mm
53063	3	150	6,0	117 x 37

## 53070 TRI-WING Screwdriver



art.-no.		mm	Ø mm	mm
53071	TW 2	80	107 x 32	
53072	TW 3	100	107 x 32	

art.-no.		mm	Ø mm	mm
53073	TW 4	100	107 x 32	
53074	TW 5	100	107 x 32	

## 53400 Nutdriver



art.-no.	mm	mm	mm
53401	3,5	125	107 x 32
53402	4,0	125	107 x 32
53403	4,5	125	107 x 32
53404	5,0	125	107 x 32
53405	5,5	125	107 x 32
53406	6,0	125	117 x 37
53407	7,0	125	117 x 37
53408	8,0	125	117 x 37

art.-no.	mm	mm	mm
53409	9,0	125	117 x 37
53410	10,0	125	117 x 37
53411	11,0	125	127 x 39
53412	12,0	125	127 x 39
53413	13,0	125	127 x 39
53414	14,0	125	127 x 39
53415	17,0	125	127 x 39

## 53080 Nutdriver

with flexible shaft



art.-no.	mm	mm	mm
53081	5,0	200	117 x 37
53082	5,5	200	117 x 37
53083	6,0	200	117 x 37

art.-no.	mm	mm	mm
53084	7,0	200	117 x 37
53085	8,0	200	117 x 37
53086	1/4"	200	117 x 37

## 53091 Magnetic Bit Holder

Has shaft 150 mm long and magnetic 1/4" adapter



art.-no.	mm	mm	mm
53091	1/4"	150	117 x 37

## Multi- Set

Professional quality sets in sturdy metal cases with handle. The sets contain reversible combination blades which take the place of several individual screwdrivers.

Blades are made from high alloy special steel, 165mm long

handle: 3-component-plastic-handle

- 6 mm o.d.hexagon
- 1/4" o.d.hexagon

6 mm



1/4"

art.-no.		Drive	◆	art.-no.		Drive	◆
<b>27884</b>	handle			<b>27883</b>	handle		
	0,6 x 3,5	● 0,8 x 4,0	6 mm		0,6 x 3,5	● 0,8 x 4,0	1/4"
	1,0 x 5,5	● 1,2 x 6,5	6 mm		1,0 x 5,5	● 1,2 x 6,5	1/4"
+	PH 1	● PZ 1	6 mm	+	PH 1	● PZ 1	1/4"
+	PH 2	● PZ 2	6 mm	+	PH 2	● PZ 2	1/4"
○	3,0	○ 3,0 ballpoint	6 mm	○	3,0	○ 3,0 ballpoint	1/4"
○	4,0	○ 4,0 ballpoint	6 mm	○	4,0	○ 4,0 ballpoint	1/4"
○	5,0	○ 5,0 ballpoint	6 mm	○	5,0	○ 5,0 ballpoint	1/4"
○	6,0	○ 6,0 ballpoint	6 mm	○	6,0	○ 6,0 ballpoint	1/4"
○	T 10	○ T 15	6 mm	○	T 10	○ T 15	1/4"
○	T 20	○ T 25	6 mm	○	T 20	○ T 25	1/4"
○	T 30	○ T 40	6 mm	○	T 30	○ T 40	1/4"

art.-no.	mm	mm	Drive	◆	art.-no.	mm	mm	Drive	◆
<b>30562</b>	0,6 x 3,5	0,8 x 4,0	6 mm		<b>30542</b>	0,6 x 3,5	0,8 x 4,0	1/4"	
<b>30563</b>	1,0 x 5,5	1,2 x 6,5	6 mm		<b>30543</b>	1,0 x 5,5	1,2 x 6,5	1/4"	

art.-no.	⊕	⊕	Drive	◆	art.-no.	⊕	⊕	Drive	◆
<b>30564</b>	PH 1	PZ 1	6 mm		<b>30544</b>	PH 1	PZ 1	1/4"	
<b>30565</b>	PH 2	PZ 2	6 mm		<b>30545</b>	PH 2	PZ 2	1/4"	

art.-no.	○	○	Drive	◆	art.-no.	○	○	Drive	◆
<b>30566</b>	3,0	3,0 ballpoint	6 mm		<b>30546</b>	3,0	3,0 ballpoint	1/4"	
<b>30567</b>	4,0	4,0 ballpoint	6 mm		<b>30547</b>	4,0	4,0 ballpoint	1/4"	
<b>30568</b>	5,0	5,0 ballpoint	6 mm		<b>30548</b>	5,0	5,0 ballpoint	1/4"	
<b>30569</b>	6,0	6,0 ballpoint	6 mm		<b>30549</b>	6,0	6,0 ballpoint	1/4"	

art.-no.	⊕	⊕	Drive	◆	art.-no.	⊕	⊕	Drive	◆
<b>30559</b>	T 10	T 15	6 mm		<b>30539</b>	T 10	T 15	1/4"	
<b>30560</b>	T 20	T 25	6 mm		<b>30540</b>	T 20	T 25	1/4"	
<b>30561</b>	T 30	T 40	6 mm		<b>30541</b>	T 30	T 40	1/4"	

## Screwdriver Assortments

**Screwdriver sets in environmentally friendly cardboard box**



### Screwdriver Assortments, 6 pieces

#### art.-no. 653754

		art.-no.
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PH 1	80
⊕	PH 2	100
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 653864

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PH 1	80
⊕	PH 2	100

#### art.-no. 653868

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 653832

		art.-no.
●	0,5 x 3,0	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PH 1	80
⊕	PH 2	100

#### art.-no. 653863

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 653980

		art.-no.
○	T 10	80
○	T 15	80
○	T 20	100
○	T 25	100
○	T 30	115
○	T 40	115

#### art.-no. 653833

		art.-no.
●	0,5 x 3,0	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 653867

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 653726

		art.-no.
○	T 10 TR	80
○	T 15 TR	80
○	T 20 TR	100
○	T 25 TR	100
○	T 30 TR	115
○	T 40 TR	115

### Screwdriver Assortments, 5 pieces

#### art.-no. 653865

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PH 1	80
⊕	PH 2	100

#### art.-no. 653866

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 653725

		art.-no.
●	5,0	125
●	5,5	125
●	6,0	125
●	7,0	125
●	8,0	125

## The slip-resistant specialist.

Equipped with a patented, slip-resistant flocked (micro fibred) surface panels, the MAXXPRO PLUS screwdriver is the perfect tool for working in oily or wet conditions. Its remarkable ergonomics and its outstanding high torque are at their best under these more difficult conditions.

- The curved longitudinal outline of the ergonomic handles enables high application forces
- The proven triangle shape corresponds exactly to the ideal turning angle of the hand (120 °)

- Good handling due to soft component on the edges
- Fast turning zone from soft material makes working comfortable and safe
- Matt chromium-plated blades which are permanently etched and made of the finest high alloy special steel wire in all profiles
- Black blade tips for an optimal precision
- Patented, slip-resistant flocked (micro fibred) surface panels





### ● 63100 Engineer's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.			∅	
	mm	mm	mm	mm
63101	0,6 x 3,5	75	3,5	103 x 23
63102	0,6 x 3,5	100	3,5	103 x 23
63103	0,8 x 4,0	75	4,0	103 x 23
63104	0,8 x 4,0	100	4,0	103 x 23
63105	1,0 x 5,5	100	5,0	107 x 32
63106	1,0 x 5,5	125	5,0	107 x 32

art.-no.			∅	
	mm	mm	mm	mm
63107	1,2 x 6,5	125	6,0	117 x 37
63108	1,2 x 6,5	150	6,0	117 x 37
63109	1,2 x 8,0	150	7,0	127 x 39
63110	1,6 x 8,0	175	7,0	127 x 39
63111	1,6 x 10,0	200	8,0	127 x 39

### ● 63010 Engineer's Screwdriver

To DIN 5264 and ISO 2380 with hexagon to DIN 475 standards



art.-no.			∅	
	mm	mm	mm	mm
63011	1,0 x 5,5	100	8	5,5 x 32
63012	1,2 x 6,5	125	10	6,0 x 37

art.-no.			∅	
	mm	mm	mm	mm
63013	1,2 x 8,0	150	13	8,0 x 39
63014	1,6 x 10,0	175	13	8,0 x 39

### ● 63020 Electrician's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.			∅	
	mm	mm	mm	mm
63021	0,5 x 3,0	75	3,0	103 x 23
63022	0,6 x 3,5	100	3,5	103 x 23
63023	0,6 x 4,0	300	4,0	103 x 23
63024	0,8 x 4,0	125	4,0	103 x 23

art.-no.			∅	
	mm	mm	mm	mm
63025	1,0 x 5,5	150	5,5	107 x 32
63026	1,0 x 5,5	200	5,5	107 x 32
63027	1,0 x 5,5	300	5,5	107 x 32

### ● 63030 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	+		∅	
	mm	mm	mm	mm
63031	PH 0	60	3,0	103 x 23
63032	PH 1	80	4,5	107 x 32
63034	PH 1	300	4,5	107 x 32
63035	PH 2	100	6,0	117 x 37

art.-no.	+		∅	
	mm	mm	mm	mm
63037	PH 2	300	6,0	117 x 37
63038	PH 3	150	8,0	127 x 39
63039	PH 4	200	10,0	127 x 39

### ⊕ 63500 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, with hexagon to DIN 475 standards



art.-no.	⊕	mm	⊖	∅ mm	mm
63501	PH 1	80	6	4,5	107 x 32
63502	PH 2	100	10	6,0	117 x 37

art.-no.	⊕	mm	⊖	∅ mm	mm
63503	PH 3	150	13	8,0	127 x 39

### ⊕ 63040 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.	⊕	mm	⊖	∅ mm	mm
63041	PZ 0	60	3,0	103 x 23	
63042	PZ 1	80	4,5	107 x 32	
63044	PZ 1	300	4,5	107 x 32	
63045	PZ 2	100	6,0	117 x 37	

art.-no.	⊕	mm	⊖	∅ mm	mm
63047	PZ 2	300	6,0	117 x 37	
63048	PZ 3	150	8,0	127 x 39	
63049	PZ 4	200	10,0	127 x 39	

### ⊕ 63600 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws, with hexagon to DIN 475 standards



art.-no.	⊕	mm	⊖	∅ mm	mm
63601	PZ 1	80	6	4,5	107 x 32
63602	PZ 2	100	10	6,0	117 x 37

art.-no.	⊕	mm	⊖	∅ mm	mm
63603	PZ 3	150	13	8,0	127 x 39

### ⊕ 63200 Torx Screwdriver



art.-no.	⊕	mm	⊖	∅ mm	mm	⊕
63201	T 5	60	3,0	103 x 23	M 1,6-2,0	
63202	T 6	60	3,0	103 x 23	M 1,6-2,0	
63203	T 7	60	3,0	103 x 23	M 1,6-2,0	
63204	T 8	60	3,0	103 x 23	M 2,5	
63205	T 9	60	3,0	103 x 23	M 3	
63206	T 10	80	3,5	103 x 23	M 3	
63207	T 15	80	3,5	103 x 23	M 3,5	

art.-no.	⊕	mm	⊖	∅ mm	mm	⊕
63208	T 20	100	4,5	107 x 32	M 4	
63209	T 25	100	4,5	107 x 32	M 5	
63210	T 27	115	6,0	117 x 37	M 5	
63211	T 30	115	6,0	117 x 37	M 6	
63212	T 40	115	7,0	127 x 39	M 8	
63213	T 45	130	8,0	127 x 39	M 8-10	

### 63300 Torx Screwdriver

Tamper proof for resistant TORX screws



art.-no.		mm	Ø mm	mm	Ø mm
63303	T 7 TR	60	3,0	103 x 23	M 1,6-2,0
63304	T 8 TR	60	3,0	103 x 23	M 2,5
63305	T 9 TR	60	3,0	103 x 23	M 3
63306	T 10 TR	80	3,5	103 x 23	M 3
63307	T 15 TR	80	3,5	103 x 23	M 3,5
63308	T 20 TR	100	4,5	107 x 32	M 4

art.-no.		mm	Ø mm	mm	Ø mm
63309	T 25 TR	100	4,5	107 x 32	M 5
63310	T 27 TR	115	6,0	117 x 37	M 5
63311	T 30 TR	115	6,0	117 x 37	M 6
63312	T 40 TR	115	7,0	127 x 39	M 8
63313	T 45 TR	130	8,0	127 x 39	M 8-10

### 63050 Ballpoint Screwdriver



art.-no.		mm	Ø mm	mm
63051	3,0	100	103 x 23	
63052	4,0	100	103 x 23	
63053	5,0	100	107 x 32	

art.-no.		mm	Ø mm	mm
63054	6,0	125	125	117 x 37
63055	8,0	150	150	127 x 39

### 63060 Square Drive Screwdriver



art.-no.		mm	Ø mm	mm
63061	1	100	4,5	107 x 32
63062	2	125	5,0	107 x 32

art.-no.		mm	Ø mm	mm
63063	3	150	6,0	117 x 37

### 63400 Nutdriver



art.-no.		mm	Ø mm	mm
63401	3,5	125	107 x 32	
63402	4,0	125	107 x 32	
63403	4,5	125	107 x 32	
63404	5,0	125	107 x 32	
63405	5,5	125	107 x 32	
63406	6,0	125	117 x 37	
63407	7,0	125	117 x 37	
63408	8,0	125	117 x 37	

art.-no.		mm	Ø mm	mm
63409	9,0	125	117 x 37	
63410	10,0	125	117 x 37	
63411	11,0	125	127 x 39	
63412	12,0	125	127 x 39	
63413	13,0	125	127 x 39	
63414	14,0	125	127 x 39	
63415	17,0	125	127 x 39	
63091	1/4"	150	150	117 x 37

### 63080 Nutdriver

with flexible shaft



art.-no.	mm	mm
63081	5,0	200
63082	5,5	200
63083	6,0	200

art.-no.	mm	mm
63084	7,0	200
63085	8,0	200
63086	1/4"	200

to promote sales see pages 70 - 73

## Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

### Screwdriver Assortments, 6 pieces

#### art.-no. 663864

	art.-no.
● 0,8 x 4,0	75
● 1,0 x 5,5	100
● 1,2 x 6,5	125
● 1,2 x 8,0	150
⊕ PH 1	80
⊕ PH 2	100

#### art.-no. 663863

	art.-no.
● 0,8 x 4,0	75
● 1,0 x 5,5	100
● 1,2 x 6,5	125
● 1,2 x 8,0	150
⊕ PZ 1	80
⊕ PZ 2	100

#### art.-no. 663870

	art.-no.
● 1,0 x 5,5	100
● 1,2 x 6,5	125
● 1,2 x 8,0	150
⊕ PH 1	80
⊕ PH 2	100
⊕ PH 3	150

#### art.-no. 663980

	art.-no.
○ T 10	80
○ T 15	80
○ T 20	100
○ T 25	100
○ T 30	115
○ T 40	115

#### art.-no. 663723

	art.-no.
○ T 10 TR	80
○ T 15 TR	80
○ T 20 TR	100
○ T 25 TR	100
○ T 30 TR	115
○ T 40 TR	115



### Screwdriver Assortments, 5 pieces

#### art.-no. 663865

	art.-no.
● 0,8 x 4,0	75
● 1,0 x 5,5	100
● 1,2 x 6,5	125
⊕ PH 1	80
⊕ PH 2	100

#### art.-no. 663866

	art.-no.
● 0,8 x 4,0	75
● 1,0 x 5,5	100
● 1,2 x 6,5	125
⊕ PZ 1	80
⊕ PZ 2	100

## A master of its class.

Ergonomic, force and safety - the MAXXPRO VDE gets best results in all disciplines. It is tested individually in a water bath at 10,000 volts which enables it to work with voltages of up to 1,000.

The MAXXPRO VDE fulfils the requirements of the EN 60900/IEC 60900 and is tested against cold-resistance with -40 °C (C marking).

- The curved longitudinal outline of the ergonomic handles enables high application forces

- The proved triangle shape corresponds exactly to the ideal turning angle of the hand (120 °)
- Good handling due to soft component on the edges
- Fast turning zone from soft material makes working comfortable and safe.
- Insulated blades





## 53700 Slotted Screwdriver

To DIN 7467 and ISO 2380



art.-no.	mm	mm	Ø mm	mm
53701	0,4 x 2,5	75	2,5	103 x 23
53702	0,5 x 3,0	100	3,0	103 x 23
53703	0,6 x 3,5	100	3,5	103 x 23
53704	0,8 x 4,0	100	4,0	107 x 32

art.-no.	mm	mm	Ø mm	mm
53705	1,0 x 5,5	125	5,5	107 x 32
53706	1,2 x 6,5	150	6,5	117 x 37
53707	1,2 x 8,0	175	8,0	127 x 39
53708	1,6 x 10,0	200	10,0	127 x 39

## 53710 Phillips Screwdriver

To DIN 7438, blade to ISO 8764, for PHILLIPS-RECESS screws



art.-no.	+	mm	Ø mm	mm
53710	PH 0	60	3,0	103 x 23
53711	PH 1	80	4,5	107 x 32
53712	PH 2	100	6,0	117 x 37

art.-no.	+	mm	Ø mm	mm
53713	PH 3	150	8,0	127 x 39
53714	PH 4	200	10,0	127 x 39

## 53740 MODUL Phillips Screwdriver



art.-no.	+	mm	Ø mm	mm
53741	PH 1 / MODUL	80	4,5	107 x 32

art.-no.	+	mm	Ø mm	mm
53742	PH 2 / MODUL	100	6,0	117 x 37

## 53720 Crosspoint Screwdriver

For POZIDRIV screws, blade to ISO 8764 standard



art.-no.	+	mm	Ø mm	mm
53720	PZ 0	60	3,0	103 x 23
53721	PZ 1	80	4,5	107 x 32
53722	PZ 2	100	6,0	117 x 37

art.-no.	+	mm	Ø mm	mm
53723	PZ 3	150	8,0	127 x 39
53724	PZ 4	200	10,0	127 x 39

## 53760 MODUL Crosspoint Screwdriver



art.-no.	+	mm	Ø mm	mm
53761	PZ 1 / MODUL	80	4,5	107 x 32

art.-no.	+	mm	Ø mm	mm
53762	PZ 2 / MODUL	100	6,0	117 x 37



AC 1000 V

**MAXXPRO® VDE**

## 53730 Torx Screwdriver



art.-no.		∅ mm		∅ mm		∅ mm	
53731	T 10	60		3,0	103 x 23	M 3	
53732	T 15	75		3,5	103 x 23	M 3,5	
53733	T 20	100		4,0	107 x 32	M 4	
53734	T 25	100		4,5	107 x 32	M 5	

art.-no.		∅ mm		∅ mm		∅ mm	
53735	T 30	100		6,0	117 x 37	M 6	
53736	T 40	150		8,0	127 x 39	M 8	
53737	T 45	150		8,0	127 x 39	M 8-10	

## 53750 Nutdriver

To DIN 7445, wrench size across flats to DIN 475 standards



art.-no.		∅ mm		∅ mm	
53750	6,0	125		5,0	117 x 37
53751	7,0	125		6,0	117 x 37
53752	8,0	125		6,0	117 x 37
53753	9,0	125		6,0	117 x 37

art.-no.		∅ mm		∅ mm	
53754	10,0	125		6,0	117 x 37
53755	11,0	125		8,0	127 x 39
53756	12,0	125		8,0	127 x 39
53757	13,0	125		8,0	127 x 39

## Voltage (Circuit) Tester

Euro voltage tester CE to VDE 0680 part 6 standards



art.-no.		mm		mm		mm	
24856		3,0		60		90 x 20	

art.-no.		mm		mm		mm	
24857		3,5		100		90 x 20	

## Voltage Tester

Euro voltage tester CE to VDE 0680 part 6 standards



art.-no.		mm		mm		mm	
24083	metal clip	3,0		65		75 x 15	

art.-no.		mm		mm		mm	
24072		3,5		105		85 x 17	



## Screwdriver Assortments

**Screwdriver sets in environmentally friendly cardboard box**

### Screwdriver Assortments, 7 pieces

**art.-no. 653747**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
+	PH 1	80
+	PH 2	100
●	3,0	65

**art.-no. 653755**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
+	PZ 1	80
+	PZ 2	100
●	3,0	65

### Screwdriver Assortments, 6 pieces

**art.-no. 653742**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
+	PH 1	80
+	PH 2	100

**art.-no. 653749**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
+	PZ 1	80
+	PZ 2	100

### Screwdriver Assortments, 5 pieces


**art.-no. 653741**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
+	PH 1	80
+	PH 2	100

**art.-no. 653744**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
+	PZ 1	80
+	PZ 2	100

## The professional one.



For daily work the screwdriver series PROTOP proves itself again and again. The combination of hard and soft surfaces on the handle improves load distribution and facilitates comfortable turning.

- Distinctively flared forward section for safe working and greater turning force
- Matt chromium plated blades made from high alloy special steel



## ● 86300 Engineer's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	∅ mm	mm
86301	0,6 x 3,5	75	3,5	90 x 25
86302	0,6 x 3,5	100	3,5	90 x 25
86303	0,8 x 4,0	75	4,0	90 x 25
86304	0,8 x 4,0	100	4,0	90 x 25
86305	1,0 x 5,5	100	5,0	100 x 28
86306	1,0 x 5,5	125	5,0	100 x 28

art.-no.	mm	mm	∅ mm	mm
86307	1,2 x 6,5	125	6,0	110 x 31
86308	1,2 x 6,5	150	6,0	110 x 31
86309	1,2 x 8,0	150	7,0	125 x 36
86310	1,6 x 8,0	175	7,0	125 x 36
86311	1,6 x 10,0	200	8,0	125 x 36

## ● 70500 Engineer's Screwdriver

To DIN 5264 and ISO 2380 with hexagon to DIN 475 standards



art.-no.	mm	mm	∅ mm	mm
70501	1,0 x 5,5	100	8	5,5 x 28
70502	1,2 x 6,5	125	10	6,0 x 31

art.-no.	mm	mm	∅ mm	mm
70503	1,2 x 8,0	150	13	8,0 x 36
70504	1,6 x 10,0	175	13	8,0 x 36

## ● 86500 Electrician's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	∅ mm	mm
86501	0,5 x 3,0	75	3,0	90 x 25
86502	0,6 x 3,5	100	3,5	90 x 25
86503	0,8 x 4,0	125	4,0	90 x 25
86504	0,6 x 4,0	300	4,0	90 x 25

art.-no.	mm	mm	∅ mm	mm
86505	1,0 x 5,5	150	5,5	100 x 28
86506	1,0 x 5,5	200	5,5	100 x 28
86507	1,0 x 5,5	300	5,5	100 x 28

## ● 94400 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	+	mm	∅ mm	mm
94401	PH 0	60	3,0	90 x 25
94402	PH 1	80	4,5	100 x 28
94403	PH 1	300	4,5	100 x 28
94404	PH 2	100	6,0	110 x 31

art.-no.	+	mm	∅ mm	mm
94405	PH 2	300	6,0	110 x 31
94408	PH 3	150	8,0	125 x 36
94411	PH 4	200	10,0	125 x 36

## 97400 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, with hexagon to DIN 475 standards



art.-no.	+	mm	mm	∅	mm
97401	PH 1	80	6	4,5	100 x 28
97402	PH 2	100	10	6,0	110 x 31

art.-no.	+	mm	mm	∅	mm
97403	PH 3	150	13	8,0	125 x 36

## 95200 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.	+	mm	∅	mm
95201	PZ 0	60	3,0	90 x 25
95202	PZ 1	80	4,5	100 x 28
95203	PZ 1	300	4,5	100 x 28
95204	PZ 2	100	6,0	110 x 31

art.-no.	+	mm	∅	mm
95205	PZ 2	300	6,0	110 x 31
95208	PZ 3	150	8,0	125 x 36
95211	PZ 4	200	10,0	125 x 36

## 95800 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws, with hexagon to DIN 475 standards



art.-no.	+	mm	∅	mm
95801	PZ 1	80	6	4,5
95802	PZ 2	100	10	6,0

art.-no.	+	mm	∅	mm
95803	PZ 3	150	13	8,0

## 98000 Torx Screwdriver



art.-no.	⊕	mm	∅	mm	⊕
98005	T 5	50	2,5	90 x 25	M 1,6-2,0
98006	T 6	50	2,5	90 x 25	M 1,6-2,0
98007	T 7	50	2,5	90 x 25	M 1,6-2,0
98008	T 8	60	3,0	90 x 25	M 2,5
98009	T 9	60	3,0	90 x 25	M 3
98010	T 10	80	3,0	100 x 28	M 3
98015	T 15	80	3,5	100 x 28	M 3,5

art.-no.	⊕	mm	∅	mm	⊕
98020	T 20	100	4,0	100 x 28	M 4
98025	T 25	100	4,5	110 x 31	M 5
98027	T 27	115	5,5	110 x 31	M 5
98030	T 30	115	6,0	110 x 31	M 6
98040	T 40	115	7,0	125 x 36	M 8
98045	T 45	130	8,0	125 x 36	M 8-10

### 97800 Torx Screwdriver

Tamper proof for RESIS TORX screws



art.-no.		mm	Ø mm	mm	Ø mm
97807	T 7 TR	50	2,5	90 x 25	M 1,6-2,0
97808	T 8 TR	60	3,0	90 x 25	M 2,5
97809	T 9 TR	60	3,0	90 x 25	M 3
97810	T 10 TR	80	3,0	100 x 28	M 3
97815	T 15 TR	80	3,5	100 x 28	M 3,5
97820	T 20 TR	100	4,0	100 x 28	M 4

art.-no.		mm	Ø mm	mm	Ø mm
97825	T 25 TR	100	4,5	110 x 31	M 5
97827	T 27 TR	115	5,5	110 x 31	M 5
97830	T 30 TR	115	6,0	110 x 31	M 6
97840	T 40 TR	115	7,0	125 x 36	M 8
97845	T 45 TR	130	8,0	125 x 36	M 8-10

### 93310 Square Drive Screwdriver



art.-no.		mm	Ø mm	mm
93311	1	100	4,5	100 x 28
93312	2	125	5,0	110 x 31

art.-no.		mm	Ø mm	mm
93313	3	150	6,0	125 x 36

### 98300 Nutdriver



art.-no.		mm	mm
98301	3,5	125	90 x 25
98302	4,0	125	90 x 25
98303	4,5	125	90 x 25
98304	5,0	125	90 x 25
98305	5,5	125	90 x 25
98306	6,0	125	100 x 28
98307	7,0	125	100 x 28
98308	8,0	125	100 x 28

art.-no.		mm	mm
98309	9,0	125	100 x 28
98310	10,0	125	110 x 31
98311	11,0	125	110 x 31
98312	12,0	125	110 x 31
98313	13,0	125	110 x 31
98314	14,0	125	125 x 36
98315	17,0	125	125 x 36

### 97600 Nutdriver

with flexible shaft



art.-no.		mm	mm
97605	5,0	200	110 x 31
97606	5,5	200	110 x 31
97601	6,0	200	110 x 31
97602	7,0	200	110 x 31

art.-no.		mm	mm
97603	8,0	200	110 x 31
97607	10,0	200	125 x 36
97604	1/4"	200	110 x 31

### ◆ 26365 Magnetic Bit Holder

Has shaft 150 mm long and magnetic 1/4" adapter



### Stubby Screwdriver

#### ● 86900 Slotted Screwdriver



art.-no.	mm	mm	Ø mm	mm
86981	0,8 x 4,5	25	4,5	55 x 29
86982	1,0 x 6,0	25	6,0	55 x 29
86983	1,2 x 8,0	25	8,0	55 x 29

#### ● 94200 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	+	mm	Ø mm	mm
94207	PH 01	25	4,5	55 x 29
94208	PH 02	25	6,0	55 x 29

#### ● 95300 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.	+	mm	Ø mm	mm
95305	PZ 01	25	4,5	55 x 29
95306	PZ 02	25	6,0	55 x 29



## Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

### Screwdriver Assortments, 6 pieces

#### art.-no. 620754

		art.-no.
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PH 1	80
⊕	PH 2	100
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 620864

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PH 1	80
⊕	PH 2	100

#### art.-no. 620868

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 620832

		art.-no.
●	0,5 x 3,0	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PH 1	80
⊕	PH 2	100

#### art.-no. 620863

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 620980

		art.-no.
○	T 10	80
○	T 15	80
○	T 20	100
○	T 25	100
○	T 30	115
○	T 40	115

#### art.-no. 620833

		art.-no.
●	0,5 x 3,0	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 620867

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PH 1	80
⊕	PH 2	100

#### art.-no. 620726

		art.-no.
○	T 10 TR	80
○	T 15 TR	80
○	T 20 TR	100
○	T 25 TR	100
○	T 30 TR	115
○	T 40 TR	115

### Screwdriver Assortments, 5 pieces

#### art.-no. 620865

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PH 1	80
⊕	PH 2	100

#### art.-no. 620866

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 620725

		art.-no.
●	5,0	125
●	5,5	125
●	6,0	125
●	7,0	125
●	8,0	125

## The gripping expert

Three components in a multi-purpose handle - this is characteristic for the series PROTOP PLUS. Its shape is triangular, but without edges. The soft component lends grip to the handle while the flocked micro fibre surface offers reliable holding power.

- Optimal fast turning zone without dividing lines to power transmission
- Big dimensioned spherical handle end which ensures the axial force distribution
- Permanently marked matt chromium-plated blades from high alloy special steel
- Patented, anti slip micro fibre surface



## ● 86100 Engineer's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	∅ mm	mm
86101	0,6 x 3,5	75	3,5	90 x 25
86102	0,6 x 3,5	100	3,5	90 x 25
86103	0,8 x 4,0	75	4,0	100 x 28
86104	0,8 x 4,0	100	4,0	100 x 28
86105	1,0 x 5,5	100	5,0	110 x 31
86106	1,0 x 5,5	125	5,0	110 x 31

art.-no.	mm	mm	∅ mm	mm
86107	1,2 x 6,5	125	6,0	125 x 36
86108	1,2 x 6,5	150	6,0	125 x 36
86109	1,2 x 8,0	150	7,0	125 x 36
86110	1,6 x 8,0	175	7,0	125 x 36
86111	1,6 x 10,0	200	8,0	125 x 36

## ● 70600 Engineer's Screwdriver

To DIN 5264 and ISO 2380 with hexagon to DIN 475 standards



art.-no.	mm	mm	∅ mm	mm
70601	1,0 x 5,5	100	8	5,5 x 31
70602	1,2 x 6,5	125	10	6,0 x 36

art.-no.	mm	mm	∅ mm	mm
70603	1,2 x 8,0	150	13	8,0 x 36
70604	1,6 x 10,0	175	13	8,0 x 36

## ● 86600 Electrician's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	∅ mm	mm
86601	0,5 x 3,0	75	3,0	90 x 25
86602	0,6 x 3,5	100	3,5	90 x 25
86603	0,8 x 4,0	125	4,0	90 x 25
86604	0,6 x 4,0	300	4,0	90 x 25

art.-no.	mm	mm	∅ mm	mm
86605	1,0 x 5,5	150	5,5	100 x 28
86606	1,0 x 5,5	200	5,5	100 x 28
86607	1,0 x 5,5	300	5,5	100 x 28

## ● 94500 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	+	mm	∅ mm	mm
94501	PH 0	60	3,0	90 x 25
94502	PH 1	80	4,5	110 x 31
94504	PH 1	300	4,5	110 x 31
94505	PH 2	100	6,0	125 x 36

art.-no.	+	mm	∅ mm	mm
94507	PH 2	300	6,0	125 x 36
94508	PH 3	150	8,0	125 x 36
94509	PH 4	200	10,0	125 x 36

## ● 97200 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, with hexagon to DIN 475 standards



art.-no.	+	mm	∅ mm	mm
97201	PH 1	80	6	4,5 x 31
97202	PH 2	100	10	6,0 x 36

art.-no.	+	mm	∅ mm	mm
97203	PH 3	150	13	8,0 x 36

## 95500 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.		mm	Ø mm	mm
95501	PZ 0	60	3,0	90 x 25
95502	PZ 1	80	4,5	110 x 31
95504	PZ 1	300	4,5	110 x 31
95505	PZ 2	100	6,0	125 x 36

art.-no.		mm	Ø mm	mm
95507	PZ 2	300	6,0	125 x 36
95508	PZ 3	150	8,0	125 x 36
95509	PZ 4	200	10,0	125 x 36

## 95600 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws, with hexagon to DIN 475 standards



art.-no.		mm	Ø mm	mm
95601	PZ 1	80	6	4,5 110 x 31
95602	PZ 2	100	10	6,0 125 x 36

art.-no.		mm	Ø mm	mm
95603	PZ 3	150	13	8,0 125 x 36

## 98500 Torx Screwdriver



art.-no.		mm	Ø mm	mm	Ø
98505	T 5	50	2,5	90 x 25	M 1,6-2,0
98506	T 6	50	2,5	90 x 25	M 1,6-2,0
98507	T 7	50	2,5	90 x 25	M 1,6-2,0
98508	T 8	60	3,0	90 x 25	M 2,5
98509	T 9	60	3,0	90 x 25	M 3
98510	T 10	80	3,0	100 x 28	M 3
98515	T 15	80	3,5	100 x 28	M 3,5

art.-no.		mm	Ø mm	mm	Ø
98520	T 20	100	4,0	100 x 28	M 4
98525	T 25	100	4,5	110 x 31	M 5
98527	T 27	115	5,5	110 x 31	M 5
98530	T 30	115	6,0	110 x 31	M 6
98540	T 40	115	7,0	125 x 36	M 8
98545	T 45	130	8,0	125 x 36	M 8-10

## 97100 Torx Screwdriver

Tamper proof for resistant TORX screws



art.-no.		mm	Ø mm	mm	Ø
97107	T 7 TR	50	2,5	90 x 25	M 1,6-2,0
97108	T 8 TR	60	3,0	90 x 25	M 2,5
97109	T 9 TR	60	3,0	90 x 25	M 3
97110	T 10 TR	80	3,0	100 x 28	M 3
97115	T 15 TR	80	3,5	100 x 28	M 3,5
97120	T 20 TR	100	4,0	100 x 28	M 4

art.-no.		mm	Ø mm	mm	Ø
97125	T 25 TR	100	4,5	110 x 31	M 5
97127	T 27 TR	115	5,5	110 x 31	M 5
97130	T 30 TR	115	6,0	110 x 31	M 6
97140	T 40 TR	115	7,0	125 x 36	M 8
97145	T 45 TR	130	8,0	125 x 36	M 8-10

## 26355 Magnetic Bit Holder

Has shaft 150 mm long and magnetic 1/4" adapter



art.-no.		mm	mm
26355	1/4"	150	125 x 36

to promote sales see pages 70 - 73



## Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

### Screwdriver Assortments, 6 pieces

**art.-no. 621864**

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PH 1	80
⊕	PH 2	100

**art.-no. 621863**

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PZ 1	80
⊕	PZ 2	100

**art.-no. 621870**

		art.-no.
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PH 1	80
⊕	PH 2	100
⊕	PH 3	150

**art.-no. 621980**

		art.-no.
∅	T 10	80
∅	T 15	80
∅	T 20	100
∅	T 25	100
∅	T 30	115
∅	T 40	115

**art.-no. 620723**

		art.-no.
∅	T 10 TR	80
∅	T 15 TR	80
∅	T 20 TR	100
∅	T 25 TR	100
∅	T 30 TR	115
∅	T 40 TR	115

### Screwdriver Assortments, 5 pieces

**art.-no. 621865**

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PH 1	80
⊕	PH 2	100

**art.-no. 621866**

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PZ 1	80
⊕	PZ 2	100

## The safety expert.

Wherever live electrical circuits are presented, a screwdriver has to ensure maximum safety - like the PROTOP VDE. Every screwdriver of this series is tested in accordance with DIN EN 60900 / IEC 60900. The testing on cold temperature resistance takes place under screw

tightening standards at -40° C (C marking). In addition each PROTOP VDE screwdriver is individually tested for dielectric strength in water to 10,000 V.

- With the spherical handle end of the PROTOP series
- Hard and soft surfaces provide excellent power transmission and comfortable grip
- Safety insulated blades



## ● 74100 Slotted Screwdriver

To DIN 7467 and ISO 2380



art.-no.	mm	mm	Ø mm	mm
74101	0,4 x 2,5	75	2,5	90 x 25
74102	0,5 x 3,0	100	3,0	90 x 25
74103	0,6 x 3,5	100	3,5	90 x 25
74104	0,8 x 4,0	100	4,0	90 x 25

art.-no.	mm	mm	Ø mm	mm
74105	1,0 x 5,5	125	5,5	100 x 28
74106	1,2 x 6,5	150	6,5	110 x 31
74107	1,2 x 8,0	175	8,0	125 x 36
74108	1,6 x 10,0	200	10,0	125 x 36

## ⊕ 74500 Phillips Screwdriver

To DIN 7438, blade to ISO 8764, for PHILLIPS-RECESS screws



art.-no.	⊕ mm	mm	Ø mm	mm
74501	PH 0	60	3,0	90 x 25
74502	PH 1	80	4,5	100 x 28
74503	PH 2	100	6,0	110 x 31

art.-no.	⊕ mm	mm	Ø mm	mm
74504	PH 3	150	8,0	125 x 36
74505	PH 4	200	10,0	125 x 36

## ⊕ 74700 Crosspoint Screwdriver

For POZIDRIV screws, blade to ISO 8764 standard



art.-no.	⊕ mm	mm	Ø mm	mm
74701	PZ 0	60	3,0	90 x 25
74702	PZ 1	80	4,5	100 x 28
74703	PZ 2	100	6,0	110 x 31

art.-no.	⊕ mm	mm	Ø mm	mm
74704	PZ 3	150	8,0	125 x 36
74705	PZ 4	200	10,0	125 x 36

## Voltage (Circuit) Tester

Euro voltage tester CE to VDE 0680 part 6 standards



125 - 250 V



art.-no.	mm	mm	mm	mm
24856	3,0	60	90 x 20	150

art.-no.	mm	mm	mm	mm
24857	3,5	100	90 x 20	190

## Voltage Tester

Euro voltage tester CE to VDE 0680 part 6 standards



220 - 250 V



art.-no.	mm	mm	mm	mm
24083	3,0	65	75 x 15	140

art.-no.	mm	mm	mm	mm
24072	3,5	105	85 x 17	190

to promote sales see pages 70 - 73

## Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box



### Screwdriver Assortments, 7 pieces

**art.-no. 620747**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PH 1	80
⊕	PH 2	100
⊕	3,0	65

**art.-no. 620755**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PZ 1	80
⊕	PZ 2	100
⊕	3,0	65

### Screwdriver Assortments, 6 pieces

**art.-no. 620742**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PH 1	80
⊕	PH 2	100

**art.-no. 620749**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
●	1,2 x 6,5	150
⊕	PZ 1	80
⊕	PZ 2	100

### Screwdriver Assortments, 5 pieces

**art.-no. 620741**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
⊕	PH 1	80
⊕	PH 2	100

**art.-no. 620744**

		art.-no.
●	0,4 x 2,5	75
●	0,8 x 4,0	100
●	1,0 x 5,5	125
⊕	PZ 1	80
⊕	PZ 2	100

## The strong one.

The TOPLUS screwdriver ensures excellent results for difficult screw-driving work and the unscrewing of tightly seated screws. The strong, ergonomically correct triangular handle guarantees the highest level of power transmission and its ideal turning angle of 120° prevents muscle fatigue.

- The patented anti-slip micro fibre surface on three sides of the handle allows working in wet or oily conditions
- Permanently marked the fully anchored matt chromium plated blades are from high alloy special steel

**impact absorbing**



## 86200 Engineer's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	Ø mm	mm
86231	0,6 x 3,5	75	3,5	85 x 24
86232	0,6 x 3,5	100	3,5	85 x 24
86233	0,8 x 4,0	75	4,0	95 x 27
86234	0,8 x 4,0	100	4,0	95 x 27
86235	1,0 x 5,5	100	5,0	105 x 29
86236	1,0 x 5,5	125	5,0	105 x 29

art.-no.	mm	mm	Ø mm	mm
86237	1,2 x 6,5	125	6,0	115 x 32
86238	1,2 x 6,5	150	6,0	115 x 32
86239	1,2 x 8,0	150	7,0	125 x 34
86240	1,6 x 8,0	175	7,0	125 x 34
86241	1,6 x 10,0	200	8,0	125 x 34
86242	2,0 x 12,0	250	9,0	125 x 34

## 70400 Engineer's Screwdriver

To DIN 5264 and ISO 2380, hexagonal blade  
with hexagonal bolster dimensioned to DIN 475



art.-no.	mm	mm	mm	mm
70401	1,0 x 5,5	100	8	5,0
70402	1,2 x 6,5	125	10	6,0
70403	1,2 x 8,0	150	13	7,0

art.-no.	mm	mm	mm	mm
70404	1,6 x 10,0	175	13	8,0
70405	2,0 x 12,0	200	16	10,0
70406	2,5 x 14,0	250	16	10,0

## 86400 Electrician's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	Ø mm	mm
86401	0,5 x 3,0	75	3,0	75 x 21
86402	0,6 x 3,5	100	3,5	85 x 24
86404	0,8 x 4,0	125	4,0	85 x 24
86405	0,6 x 4,0	300	4,0	85 x 24

art.-no.	mm	mm	Ø mm	mm
86406	1,0 x 5,5	150	5,5	95 x 27
86407	1,0 x 5,5	200	5,5	95 x 27
86408	1,0 x 5,5	300	5,5	95 x 27

## 94300 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	+	mm	Ø mm	mm
94301	PH 0	60	3,0	85 x 24
94302	PH 1	80	4,5	105 x 29
94308	PH 1	300	4,5	105 x 29
94303	PH 2	100	6,0	115 x 32

art.-no.	+	mm	Ø mm	mm
94309	PH 2	300	6,0	115 x 32
94304	PH 3	150	8,0	125 x 34
94305	PH 4	200	10,0	125 x 34

### ⊕ 97300 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, hexagonal blade with hexagonal bolster dimensioned to DIN 475 standards



art.-no.	⊕	mm	⊖	⊖	mm
97301	PH 1	80	8	5,0	105 x 29
97302	PH 2	100	10	6,0	115 x 32

art.-no.	⊕	mm	⊖	⊖	mm
97303	PH 3	150	13	8,0	125 x 34
97304	PH 4	200	16	10,0	125 x 34

### ⊕ 95140 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.	⊕	mm	⊖	⊖	mm
95100	PZ 0	60	3,0	85 x 24	
95101	PZ 1	80	4,5	105 x 29	
95108	PZ 1	300	4,5	105 x 29	
95102	PZ 2	100	6,0	115 x 32	

art.-no.	⊕	mm	⊖	⊖	mm
95109	PZ 2	300	6,0	115 x 32	
95103	PZ 3	150	8,0	125 x 34	
95104	PZ 4	200	10,0	125 x 34	

### ⊕ 95700 Crosspoint Screwdriver


To ISO 8764 for POZIDRIV screws, hexagonal blade with hexagonal bolster dimensioned to DIN 475 standards



art.-no.	⊕	mm	⊖	⊖	mm
95701	PZ 1	80	8	5,0	105 x 29
95702	PZ 2	100	10	6,0	115 x 32

art.-no.	⊕	mm	⊖	⊖	mm
95703	PZ 3	150	13	8,0	125 x 34
95704	PZ 4	200	16	10,0	125 x 34

### ⊗ 97900 Torx Screwdriver



art.-no.	⊗	mm	⊖	⊖	mm
97921	T 5	50	2,5	75 x 21	M 1,6-2,0
97901	T 6	50	2,5	75 x 21	M 1,6-2,0
97902	T 7	50	2,5	75 x 21	M 1,6-2,0
97903	T 8	60	3,0	85 x 24	M 2,5
97904	T 9	60	3,0	85 x 24	M 3
97905	T 10	80	3,0	95 x 27	M 3
97906	T 15	80	3,5	95 x 27	M 3,5

art.-no.	⊗	mm	⊖	⊖	mm
97907	T 20	100	4,0	95 x 27	M 4
97908	T 25	100	4,5	95 x 27	M 5
97909	T 27	115	5,5	105 x 29	M 5
97910	T 30	115	6,0	105 x 29	M 6
97911	T 40	115	7,0	115 x 32	M 8
97912	T 45	130	8,0	125 x 34	M 8-10

## 97700 Torx Screwdriver

Tamper proof for resistant TORX screws



art.-no.		mm	Ø mm	mm	
97707	T 7 TR	50	2,5	75 x 21	M 1,6-2,0
97708	T 8 TR	60	3,0	85 x 24	M 2,5
97709	T 9 TR	60	3,0	85 x 24	M 3
97710	T 10 TR	80	3,0	95 x 27	M 3
97715	T 15 TR	80	3,5	95 x 27	M 3,5
97720	T 20 TR	100	4,0	95 x 27	M 4

art.-no.		mm	Ø mm	mm	
97725	T 25 TR	100	4,5	95 x 27	M 5
97727	T 27 TR	115	5,5	105 x 29	M 5
97730	T 30 TR	115	6,0	105 x 29	M 6
97740	T 40 TR	115	7,0	115 x 32	M 8
97745	T 45 TR	130	8,0	125 x 34	M 8-10

## Stubby Screwdriver

### 86250 Slotted Screwdriver

art.-no.		mm	Ø mm	mm
86251	0,8 x 4,5	25	4,5	55 x 25
86252	1,0 x 6,0	25	6,0	55 x 25
86253	1,2 x 8,0	25	8,0	55 x 25



### 94350 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws

art.-no.		mm	Ø mm	mm
94306	PH 01	25	4,5	55 x 25
94307	PH 02	25	6,0	55 x 25



### 95150 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws

art.-no.		mm	Ø mm	mm
95106	PZ 01	25	4,5	55 x 25
95107	PZ 02	25	6,0	55 x 25





## Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

### Screwdriver Assortments, 6 pieces

#### art.-no. 620308

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PH 1	80
⊕	PH 2	100

#### art.-no. 620317

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 620301

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PH 1	80
⊕	PH 2	100

#### art.-no. 620316

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
●	1,2 x 8,0	150
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 620360

		art.-no.
○	T 10	80
○	T 15	80
○	T 20	100
○	T 25	100
○	T 30	115
○	T 40	115

### Screwdriver Assortments, 5 pieces

#### art.-no. 620700

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PH 1	80
⊕	PH 2	100

#### art.-no. 620701

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PZ 1	80
⊕	PZ 2	100

#### art.-no. 620702

		art.-no.
●	0,8 x 4,0	75
●	1,0 x 5,5	100
●	1,2 x 6,5	125
⊕	PH 1	80
⊕	PH 2	100

**impact absorbing****practical  
hanging hole****fast turning zone****nickel plated  
special steel**

## The proven one.

For varied use in household and DIY jobs, the TRIAX screwdriver achieves excellent results. The pleasant shape of this series, especially its unique surface structure, provides very good values in all sectors of power transmission.

- Proven triangular shape
- Fast turning zone with a grooved area which prevents the fingers slipping
- Blades made of nickel plated
- Impact absorbing



### ● 85630 Engineer's Screwdriver



art.-no.	mm	mm	Ø mm	mm
85631	0,5 x 4,0	75	3,5	90 x 22
85632	0,6 x 5,0	100	4,0	100 x 25
85633	0,8 x 6,0	125	5,0	110 x 27

art.-no.	mm	mm	Ø mm	mm
85634	0,9 x 7,0	150	6,0	120 x 31
85635	1,0 x 8,0	175	7,0	120 x 31
85636	1,0 x 9,0	200	7,0	120 x 31

### ● 70330 Engineer's Screwdriver

Blade with hexagon to DIN 475 standard



art.-no.	mm	mm	Ø mm	mm
70331	0,8 x 5,5	100	8	5,5 x 25
70332	1,0 x 7,0	125	10	7,0 x 27

art.-no.	mm	mm	Ø mm	mm
70333	1,2 x 9,0	150	13	8,0 x 31
70334	1,6 x 10,0	175	13	9,0 x 31

### ● 85530 Electrician's Screwdriver



art.-no.	mm	mm	Ø mm	mm
85531	0,4 x 3,0	75	3,0	80 x 18
85532	0,5 x 4,0	100	4,0	90 x 22

art.-no.	mm	mm	Ø mm	mm
85533	0,5 x 4,0	125	4,0	90 x 22
85534	0,8 x 5,0	150	5,0	100 x 25

### ⊕ 94230 Phillips Screwdriver

for PHILLIPS-RECESS screws



art.-no.	⊕ mm	mm	Ø mm	mm
94231	PH 0	60	3,0	80 x 18
94232	PH 1	80	4,5	100 x 25

art.-no.	⊕ mm	mm	Ø mm	mm
94233	PH 2	100	6,0	110 x 27
94234	PH 3	150	8,0	120 x 31

### ⊕ 95330 Crosspoint Screwdriver

for POZIDRIV screws



art.-no.	⊕ mm	mm	Ø mm	mm
95331	PZ 0	60	3,0	80 x 18
95332	PZ 1	80	4,5	100 x 25

art.-no.	⊕ mm	mm	Ø mm	mm
95333	PZ 2	100	6,0	110 x 27
95334	PZ 3	150	8,0	120 x 31

## 99030 Torx Screwdriver



art.-no.		∅ mm	∅ mm	∅ mm	
99031	T 10	80	3,0	100 x 25	M 3
99032	T 15	80	3,5	100 x 25	M 3,5
99033	T 20	100	4,0	100 x 25	M 4
99034	T 25	100	4,5	110 x 27	M 5

art.-no.		∅ mm	∅ mm	∅ mm	
99035	T 27	115	5,5	110 x 27	M 5
99036	T 30	115	6,0	110 x 27	M 6
99037	T 40	115	7,0	120 x 31	M 8

## 93330 Square Drive Screwdriver



art.-no.		∅ mm	∅ mm	∅ mm	
93331	1	100	4,5	100 x 25	
93332	2	125	5,0	110 x 27	

art.-no.		∅ mm	∅ mm	∅ mm	
93333	3	150	6,0	120 x 31	

## Stubby Screwdriver

### 86930 Slotted Screwdriver

art.-no.		∅ mm	∅ mm	∅ mm	
86931	0,7 x 4,5	25	4,5	55 x 29	
86932	0,9 x 6,0	25	6,0	55 x 29	
86933	1,2 x 8,0	25	6,0	55 x 29	



### 94250 Phillips Screwdriver

for PHILLIPS-RECESS screws

art.-no.		∅ mm	∅ mm	∅ mm	
94251	PH 01	25	4,5	55 x 29	
94252	PH 02	25	6,0	55 x 29	





## Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box

### Screwdriver Assortments, 6 pieces

art.-no. 620974

	art.-no.	art.-no.
● 0,5 x 4,0	75	85631
● 0,6 x 5,0	100	85632
● 0,8 x 6,0	125	85633
● 0,9 x 7,0	150	85634
⊕ PH 1	80	94232
⊕ PH 2	100	94233

art.-no. 620975

	art.-no.	art.-no.
● 0,5 x 4,0	75	85631
● 0,6 x 5,0	100	85632
● 0,8 x 6,0	125	85633
● 0,9 x 7,0	150	85634
⊕ PZ 1	80	95332
⊕ PZ 2	100	95333

art.-no. 620976

	art.-no.	art.-no.
○ T 10	80	99031
○ T 15	80	99032
○ T 20	100	99033
○ T 25	100	99034
○ T 30	115	99036
○ T 40	115	99037


### Screwdriver Assortments, 5 pieces

art.-no. 620972

	art.-no.	art.-no.
● 0,5 x 4,0	75	85631
● 0,6 x 5,0	100	85632
● 0,8 x 6,0	125	85633
⊕ PH 1	80	94232
⊕ PH 2	100	94233

art.-no. 620973

	art.-no.	art.-no.
● 0,5 x 4,0	75	85631
● 0,6 x 5,0	100	85632
● 0,8 x 6,0	125	85633
⊕ PZ 1	80	95332
⊕ PZ 2	100	95333



## Classical Screwdriver.

Screwdrivers with wooden handles have a long tradition. Even today it is preferred by those, who really appreciate its reliability and who like to work with natural materials.

- Hardwood handle
- The blade made of one piece, with its precision engineered hexagon bolster for possible use with wrenches
- Leather end cap protects the handle from damaging or damage



## ● 96500 Engineer's Screwdriver

Blade is bright chrome plated with black tip



art.-no.		mm		mm		mm		mm		mm		mm		mm
96501	0,6 x 3,5	75	6	4,5	95 x 24									
96502	0,7 x 4,5	90	6	4,5	95 x 24									
96503	0,8 x 5,5	100	8	5,5	100 x 25									
96504	1,0 x 7,0	125	10	7,0	110 x 27									

art.-no.		mm		mm		mm		mm		mm		mm		mm
96505	1,2 x 9,0	150		13			8,0	120 x 30						
96506	1,6 x 10,0	175		13			9,0	125 x 32						
96507	2,0 x 12,0	200		16			9,0	130 x 32						
96508	2,5 x 13,0	250		16			11,0	130 x 35						

## ✚ 96600 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws. Blade is bright chrome plated, with black tip



art.-no.		mm		mm		mm		mm		mm		mm		mm
96601	PH 1	85	6	4,5	95 x 24									
96602	PH 2	100	10	6,0	110 x 27									

art.-no.		mm		mm		mm		mm		mm		mm		mm
96603	PH 3	150	13		8,0	120 x 30								
96604	PH 4	200	16		10,0	130 x 32								

## ✚ 96700 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws. Blade is bright chrome plated, with black tip



art.-no.		mm		mm		mm		mm		mm		mm		mm
96701	PZ 1	85	6	4,5	95 x 24									
96702	PZ 2	100	10	6,0	110 x 27									

art.-no.		mm		mm		mm		mm		mm		mm		mm
96703	PZ 3	150	13		8,0	120 x 30								
96704	PZ 4	200	16		10,0	130 x 32								

## ● 96100 Engineer's Screwdriver

Blade is bright nickel plated



art.-no.		mm		mm		mm		mm		mm		mm		mm
96101	0,6 x 3,5	75	6	4,5	95 x 24									
96102	0,7 x 4,5	90	6	4,5	95 x 24									
96103	0,8 x 5,5	100	8	5,5	100 x 25									
96104	1,0 x 7,0	125	10	7,0	110 x 27									

art.-no.		mm		mm		mm		mm		mm		mm		mm
96105	1,2 x 9,0	150	13		8,0	120 x 30								
96106	1,6 x 10,0	175	13		9,0	125 x 32								
96107	2,0 x 12,0	200	16		9,0	130 x 32								
96108	2,5 x 13,0	250	16		11,0	130 x 35								

## ✚ 96300 Phillips Screwdriver

For PHILLIPS-RECESS screws. Blade is bright nickel plated



art.-no.		mm		mm		mm		mm		mm		mm		mm
96301	PH 1	85	6	4,5	95 x 24									
96302	PH 2	100	10	6,0	110 x 27									

art.-no.		mm		mm		mm		mm		mm		mm		mm
96303	PH 3	150	13		8,0	120 x 30								
96304	PH 4	200	16		10,0	130 x 32								

## 91504 Round Awl

Full-size blade made of chrome-vanadium steel, bright nickel plated. Birch wood handle



art.-no.	mm	Ø mm	mm
91504	100	6,0	90 x 38

## 91900 Square Reamer

Full-size blade made of chrome-vanadium steel, bright nickel plated. Birch wood handle



art.-no.	mm	Ø mm	mm
91900	100	6,0	90 x 38

to promote sales see pages 70 - 73

## Screwdriver Assortments

Screwdriver sets in environmentally friendly cardboard box



### Screwdriver Assortments, 6 pieces

art.-no. 620326

			art.-no.
●	0,6 x 3,5	75	6 <b>96501</b>
●	0,7 x 4,5	90	6 <b>96502</b>
●	0,8 x 5,5	100	8 <b>96503</b>
●	1,0 x 7,0	125	10 <b>96504</b>
⊕	PH 1	85	6 <b>96601</b>
⊕	PH 2	100	10 <b>96602</b>

art.-no. 620327

			art.-no.
●	0,6 x 3,5	75	6 <b>96501</b>
●	0,7 x 4,5	90	6 <b>96502</b>
●	0,8 x 5,5	100	8 <b>96503</b>
●	1,0 x 7,0	125	10 <b>96504</b>
⊕	PZ 1	85	6 <b>96701</b>
⊕	PZ 2	100	10 <b>96702</b>

art.-no. 620302

			art.-no.
●	0,7 x 4,5	90	6 <b>96102</b>
●	0,8 x 5,5	100	8 <b>96103</b>
●	1,0 x 7,0	125	10 <b>96104</b>
●	1,2 x 9,0	150	13 <b>96105</b>
⊕	PH 1	85	6 <b>96301</b>
⊕	PH 2	100	10 <b>96302</b>

art.-no. 620400

			art.-no.
●	0,7 x 4,5	90	6 <b>96102</b>
●	0,8 x 5,5	100	8 <b>96103</b>
●	1,0 x 7,0	125	10 <b>96104</b>
●	1,2 x 9,0	150	13 <b>96105</b>
⊕	PZ 1	85	6 <b>96701</b>
⊕	PZ 2	100	10 <b>96702</b>

### Screwdriver Assortments, 5 pieces

art.-no. 620306

			art.-no.
●	0,7 x 4,5	90	6 <b>96102</b>
●	0,8 x 5,5	100	8 <b>96103</b>
●	1,0 x 7,0	125	10 <b>96104</b>
⊕	PH 1	85	6 <b>96301</b>
⊕	PH 2	100	10 <b>96302</b>

art.-no. 620303

			art.-no.
●	0,7 x 4,5	90	6 <b>96102</b>
●	0,8 x 5,5	100	8 <b>96103</b>
●	1,0 x 7,0	125	10 <b>96104</b>
⊕	PZ 1	85	6 <b>96701</b>
⊕	PZ 2	100	10 <b>96702</b>

## 83240 Engineer's Screwdriver

Blade to VSM 35601, Swiss standard, from size 6 with square bolster



art.-no.	#	mm	mm	Ø mm	mm
83200	00	0,3 x 2,0	70	2,5	75 x 16
83210	0	0,4 x 2,5	80	3,0	75 x 16
83211	1	0,5 x 3,5	90	3,5	80 x 19
83212	2	0,6 x 4,0	100	4,0	80 x 19
83213	3	0,8 x 5,5	120	5,0	90 x 21
83214	4	1,0 x 6,5	140	6,0	100 x 24

art.-no.	#	mm	mm	Ø mm	mm
83215	5	1,2 x 8,0	160	7,0	110 x 26
83216	6	1,6 x 10,0	180	8,0	120 x 32
83217	7	2,0 x 13,0	200	9,0	120 x 32
83218	8	2,5 x 16,0	220	10,0	120 x 32
83219	9	3,0 x 18,0	240	11,0	120 x 32

## 94000 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.	⊕	mm	Ø mm	mm
94001	PH 0	60	3,0	80 x 19
94002	PH 1	80	4,5	90 x 21
94003	PH 2	100	6,0	100 x 24

art.-no.	⊕	mm	Ø mm	mm
94004	PH 3	150	8,0	120 x 32
94005	PH 4	200	10,0	120 x 32

## 95540 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws



art.-no.	⊕	mm	Ø mm	mm
95541	PZ 0	60	3,0	80 x 19
95542	PZ 1	80	4,5	90 x 21
95543	PZ 2	100	6,0	100 x 24

art.-no.	⊕	mm	Ø mm	mm
95544	PZ 3	150	8,0	120 x 32
95545	PZ 4	200	10,0	120 x 32

## Stubby Screwdriver

## 87000 Slotted Screwdriver

art.-no.	#	mm	mm	Ø mm	mm
87003	3	0,8 x 5,5	30	4,5	55 x 30
87004	4	1,0 x 6,5	30	6,0	55 x 30
87005	5	1,2 x 8,0	30	7,0	55 x 30



## 94010 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws

art.-no.	⊕	mm	Ø mm	mm
94006	PH 01	30	4,5	55 x 30
94007	PH 02	30	6,0	55 x 30



## Screwholding Screwdriver

Blade is made from finest high alloy special steel, burnished  
Handle and insulation are made from plastic

### 87540 Flat tip Screwdriver



art.-no.	mm	mm	Ø mm	mm
87500	0,4 x 2,5	75	2,5	75 x 21
87501	0,5 x 3,0	100	3,0	85 x 24
87502	0,8 x 4,0	125	4,0	95 x 28

art.-no.	mm	mm	Ø mm	mm
87503	1,0 x 5,0	150	5,0	105 x 30
87504	1,2 x 6,0	175	6,0	105 x 30

### 87600 Phillips Screwdriver

for PHILLIPS-RECESS screws



art.-no.	+	mm	Ø mm	mm
87601	PH 0	125	4,0	95 x 28
87602	PH 1	150	5,0	105 x 30

art.-no.	+	mm	Ø mm	mm
87603	PH 2	175	6,0	105 x 30

### 87700 Crosspoint Screwdriver

for POZIDRIV screws



art.-no.	+	mm	Ø mm	mm
87701	PZ 0	125	4,0	95 x 28
87702	PZ 1	150	5,0	105 x 30

art.-no.	+	mm	Ø mm	mm
87703	PZ 2	175	6,0	105 x 30

### 87800 Torx Screwdriver



art.-no.	Ø	mm	Ø mm	mm	Ø mm
87808	T 8	100	3,0	85 x 24	M 2,5
87810	T 10	100	3,0	85 x 24	M 3
87815	T 15	125	4,0	95 x 28	M 3,5

art.-no.	Ø	mm	Ø mm	mm	Ø mm
87820	T 20	125	4,0	95 x 28	M 4
87825	T 25	150	5,0	105 x 30	M 5
87830	T 30	175	6,0	105 x 30	M 6

# The comfortable screwdriver.

This professional tool is the solution for high torque. The PROTOP T-handle with its ergonomics, its upper voluminous part of the handle and its comfortable soft surface makes working much easier.

- When using the shorter blade, the already high power load transmitted by the T-handle concept is further improved by using the longer blade as a lever
- The T-handle received the prestigious German "Red Dot Award" for product design
- Designed without any edges, the T-handle guarantees a comfortable firm grip enabling easy turning
- The soft finger guard avoids uncomfortable contact with the blade



## 81600 Hexagonal Screwdriver

single bladed

art.-no.		mm		
		8 MM		
81602	2,0	100	95	
81625	2,5	100	95	
81603	3,0	150	95	
81604	4,0	150	95	
81605	5,0	200	95	
81606	6,0	200	95	
81608	8,0	200	120	
81610	10,0	200	120	

## 81100 Hexagonal Screwdriver

dual bladed

art.-no.		mm		
		8 MM		
81102	2,0	100	10	95
81125	2,5	100	10	95
81103	3,0	150	15	95
81104	4,0	150	15	95
81105	5,0	200	15	95
81106	6,0	200	15	95
81108	8,0	200	20	120
81110	10,0	200	25	120

## 81700 Torx Screwdriver

single bladed

art.-no.		mm		
		T 30		
81709	T 9	100	95	M 3
81710	T 10	100	95	M 3
81715	T 15	100	95	M 3,5
81720	T 20	100	95	M 4
81725	T 25	110	95	M 5
81727	T 27	110	95	M 5
81730	T 30	130	95	M 6
81740	T 40	130	120	M 8
81750	T 50	130	120	M 10

## 81400 Torx Screwdriver

dual bladed


art.-no.		mm		
		T 30		
81409	T 9	100	15	95 M 3
81410	T 10	100	15	95 M 3
81415	T 15	100	15	95 M 3,5
81420	T 20	100	15	95 M 4
81425	T 25	110	15	95 M 5
81427	T 27	110	15	95 M 5
81430	T 30	130	15	95 M 6
81440	T 40	130	20	120 M 8
81450	T 50	130	25	120 M 10






### 81800 XZN Screwdriver

single bladed




### 81500 XZN Screwdriver

dual bladed




### 81200 Nutdriver



### 82620 Magnetic Bit Holder

Has shaft 150 mm long and magnetic 1/4" adapter



**T-handle-assortments in practical display stand,  
7-pcs.**

**art.-no. 22322**

	mm	mm	mm	art.-no.	
○	2,0	100	10	95	<b>81102</b>
○	2,5	100	10	95	<b>81125</b>
○	3,0	150	15	95	<b>81103</b>
○	4,0	150	15	95	<b>81104</b>
○	5,0	200	15	95	<b>81105</b>
○	6,0	200	15	95	<b>81106</b>
○	8,0	200	20	120	<b>81108</b>



**Display Stand**

holds 25 pcs. without screwdrivers,  
500 mm wide, 170 mm deep, 460 mm high

**art.-no. 23810**



**Pegboard Display**

holds 25 pcs. without screwdrivers,  
500 mm wide, 170 mm deep, 230 mm high

**art.-no. 23820**




# The Precision Screwdriver.


Precision work requires precision tools, especially for mechanical and electronic applications. For this kind of work the screwdriver line WITTRON is ideal on account of the further developed geometry.

- Deep recess for the fingers, slimmer fast turning section and grooves which prevent the fingers slipping into the work area

- A comfortable soft surface under the rotating central head
- The colour code allows swift and easy identification of the tip style
- The blade is manufactured from high special steel with a black tip



**large surfaced soft component**



 **89710 Slotted Screwdriver**


art.-no.		mm		mm	$\varnothing$	mm		mm
89711	0,16 x 0,8	40			1,8	140		
89712	0,18 x 1,0	40			1,8	140		
89713	0,25 x 1,2	40			1,8	140		
89714	0,30 x 1,5	40			1,8	140		
89715	0,30 x 1,8	60			1,8	160		
89716	0,40 x 2,0	60			2,0	160		
89717	0,40 x 2,5	75			2,5	175		

art.-no.		mm		mm	$\varnothing$	mm		mm
89718	0,50 x 3,0	75			3,0	175		
89719	0,50 x 3,0	150			3,0	250		
89720	0,60 x 3,5	100			3,5	200		
89721	0,60 x 3,5	150			3,5	250		
89722	0,80 x 4,0	100			4,0	200		
89723	0,80 x 4,0	150			4,0	250		
89724	0,80 x 4,0	200			4,0	300		

 **89730 Phillips Screwdriver**

for PHILLIPS-RECESS screws



art.-no.		mm		mm	$\varnothing$	mm		mm
89731	PH 000	40			2,0	140		
89732	PH 00	40			2,5	140		
89733	PH 0	60			3,0	160		

art.-no.		mm		mm	$\varnothing$	mm		mm
89734	PH 1	80			4,5	180		
89735	PH 1	150			4,5	250		

 **89740 Crosspoint Screwdriver**

for POZIDRIV screws



art.-no.		mm		mm	$\varnothing$	mm		mm
89741	PZ 0	60			3,0	160		

art.-no.		mm		mm	$\varnothing$	mm		mm
89742	PZ 1	80			4,5	180		

 **89750 Torx Screwdriver**


art.-no.		mm		mm	$\varnothing$	mm		mm
89751	T 5	50			2,5	150	M 1,6-2,0	
89752	T 6	50			2,5	150	M 1,6-2,0	
89753	T 7	50			2,5	150	M 1,6-2,0	
89754	T 8	60			3,0	160	M 2,5	

art.-no.		mm		mm	$\varnothing$	mm		mm
89755	T 9	60			3,0	160	M 3	
89756	T 10	80			3,0	180	M 3	
89757	T 15	80			3,5	180	M 3,5	
89758	T 20	100			4,0	200	M 4	

 **89760 Hexagonal Screwdriver**


art.-no.		mm		mm
89761	0,7	40		140
89762	0,9	40		140
89763	1,3	40		140
89764	1,5	50		150

art.-no.		mm		mm
89765	2,0	50		150
89766	2,5	60		160
89767	3,0	60		160

## 89770 Ballpoint Screwdriver



art.-no.	Ø mm	mm	Ø mm	mm
89771	1,5	50	2,5	150
89772	2,0	50	3,0	150


art.-no.	Ø mm	mm	Ø mm	mm
89773	2,5	60	3,0	160
89774	3,0	60	3,5	160

## 89780 Nutdriver



art.-no.	mm	mm
89781	1,5	60
89782	1,8	60
89783	2,0	60
89784	2,5	60
89785	3,0	60
89786	3,2	60

art.-no.	mm	mm
89787	3,5	60
89788	4,0	60
89789	4,5	60
89790	5,0	60
89791	5,5	60
89792	6,0	60



## Display Stand without screwdrivers

50 pieces, 250 mm wide, 150 mm deep  
This display stand can be equipped with WITTRON screwdrivers with a blade length up to 80 mm.

art.-no. 89590

## Screwdriver Assortments

Screwdrivers sets in impact-resistant plastic storage box  
7-pcs.

**art.-no. 89321**

		art.-no.
●	0,18 x 1,0	89712
●	0,25 x 1,2	89713
●	0,30 x 1,5	89714
●	0,30 x 1,8	89715
●	0,40 x 2,0	89716
●	0,40 x 2,5	89717
●	0,50 x 3,0	89718

**art.-no. 89322**

		art.-no.
●	0,30 x 1,5	89714
●	0,40 x 2,0	89716
●	0,40 x 2,5	89717
●	0,50 x 3,0	89718
⊕	PH 00	89732
⊕	PH 0	89733
⊕	PH 1	89734

**art.-no. 89323**

		art.-no.
○	T 5	89751
○	T 6	89752
○	T 7	89753
○	T 8	89754
○	T 9	89755
○	T 10	89756
○	T 15	89757

**art.-no. 89324**

		art.-no.
○	0,7	89761
○	0,9	89762
○	1,3	89763
○	1,5	89764
○	2,0	89765
○	2,5	89766
○	3,0	89767

**art.-no. 89325**

		art.-no.
●	2,5	89784
●	3,0	89785
●	3,2	89786
●	3,5	89787
●	4,0	89788
●	5,0	89790
●	5,5	89791



## Screwdriver Assortments

Sets in easy-to-open plastic box  
7-pcs.

**art.-no. 89341**

		art.-no.
●	0,18 x 1,0	89712
●	0,25 x 1,2	89713
●	0,30 x 1,5	89714
●	0,30 x 1,8	89715
●	0,40 x 2,0	89716
●	0,40 x 2,5	89717
●	0,50 x 3,0	89718

**art.-no. 89342**

		art.-no.
●	0,30 x 1,5	89714
●	0,40 x 2,0	89716
●	0,40 x 2,5	89717
●	0,50 x 3,0	89718
⊕	PH 00	89732
⊕	PH 0	89733
⊕	PH 1	89734

**art.-no. 89343**

		art.-no.
○	T 5	89751
○	T 6	89752
○	T 7	89753
○	T 8	89754
○	T 9	89755
○	T 10	89756
○	T 15	89757

**art.-no. 89344**

		art.-no.
○	0,7	89761
○	0,9	89762
○	1,3	89763
○	1,5	89764
○	2,0	89765
○	2,5	89766
○	3,0	89767

**art.-no. 89345**

		art.-no.
●	2,5	89784
●	3,0	89785
●	3,2	89786
●	3,5	89787
●	4,0	89788
●	5,0	89790
●	5,5	89791



## VDE Screwdrivers

conforming with DIN EN 60900. Individually tested in water to 10,000 V. Cold impact testing at -40°C.

### 89930 Slotted Screwdriver



art.-no.		mm		mm		mm		mm
89935	0,3 x 1,5	40		1,8		140		
89931	0,3 x 1,8	60		1,8		160		
89932	0,4 x 2,0	60		2,0		160		

art.-no.		mm		mm		mm		mm
89933	0,4 x 2,5	75			2,5			175
89934	0,5 x 3,0	75			3,0			175

### 89940 Phillips Screwdriver

for PHILLIPS-RECESS screws



art.-no.		mm		mm		mm		mm
89942	PH 00	40		2,5		140		

art.-no.		mm		mm		mm		mm
89941	PH 0	60			3,0			160

### 89920 Torx Screwdriver



art.-no.		mm		mm		mm		mm
89921	T 5	40		2,5		140	M 1,6-2,0	
89922	T 6	40		2,5		140	M 1,6-2,0	
89923	T 7	40		2,5		140	M 1,6-2,0	
89924	T 8	60		3,0		160	M 2,5	

art.-no.		mm		mm		mm		mm
89925	T 9	60			3,0			160
89926	T 10	60			3,0			160
89927	T 15	75			3,5			175



### Display Stand without screwdrivers

50 pieces, 250 mm wide, 150 mm deep

This display stand can be equipped with WITTRON VDE screwdrivers with a blade length up to 80 mm.

art.-no. 89591



AC 1000 V



WITTRON VDE

## Screwdriver Assortments

Screwdrivers sets in impact-resistant plastic storage box

7-pcs.

art.-no. 89367

		art.-no.
●	0,3 x 1,5	40      89935
●	0,3 x 1,8	60      89931
●	0,4 x 2,0	60      89932
●	0,4 x 2,5	75      89933
●	0,5 x 3,0	75      89934
⊕	PH 00	40      89942
⊕	PH 0	60      89941

art.-no. 89368

		art.-no.
○	T 5	40      89921
○	T 6	40      89922
○	T 7	40      89923
○	T 8	60      89924
○	T 9	60      89925
○	T 10	60      89926
○	T 15	75      89927



## Screwdriver Assortments

Sets in easy-to-open plastic box  
7-pcs.

art.-no. 89377

		art.-no.
●	0,3 x 1,5	40      89935
●	0,3 x 1,8	60      89931
●	0,4 x 2,0	60      89932
●	0,4 x 2,5	75      89933
●	0,5 x 3,0	75      89934
⊕	PH 00	40      89942
⊕	PH 0	60      89941

art.-no. 89378

		art.-no.
○	T 5	40      89921
○	T 6	40      89922
○	T 7	40      89923
○	T 8	60      89924
○	T 9	60      89925
○	T 10	60      89926
○	T 15	75      89927






# ESD

Electrostatic discharge is not to be underestimated. Discharge of such voltages between two key materials can destroy or damage delicate electric components. The ESD screwdriver (electrostatic discharge) helps to avoid this problem.

- Screwdriver handles made from a special, highly conductive material

- Essential for deflecting charges in a specially prepared safety area and a fully grounded workplace, and with a contact ribbon around the wrist
- Danger / Caution - Electric Shock: Avoid contact with the live parts, because the handle is conductive



## 85540 Electrician's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.		mm		mm		Ø mm		mm
85541		0,5 x 3,0		75		3,0		80 x 18
85542		0,6 x 3,5		100		3,5		90 x 22

art.-no.		mm		mm		Ø mm		mm
85543		0,8 x 4,0		125		4,0		90 x 22
85544		1,0 x 5,5		150		5,5		100 x 25

## 94240 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws



art.-no.		mm		mm		Ø mm		mm
94241	PH 0	60		3,0		80 x 18		
94242	PH 1	80		4,5		100 x 25		

art.-no.		mm		mm		Ø mm		mm
94243	PH 2	100		6,0		110 x 27		

## 98940 Torx Screwdriver



art.-no.		mm		mm		Ø mm		mm
98941	T 15	80		3,5		90 x 22		M 3,5
98942	T 20	100		4,0		90 x 22		M 4
98943	T 25	100		4,5		90 x 22		M 5

art.-no.		mm		mm		Ø mm		mm
98944	T 27	115				5,5		100 x 25
98945	T 30	115				6,0		100 x 25
98946	T 40	115				7,0		110 x 27
								M 8



ESD

## 89410 Slotted Screwdriver



art.-no.	mm	mm	Ø mm	mm
89412	0,18 x 1,0	40	1,8	140
89413	0,25 x 1,2	40	1,8	140
89414	0,30 x 1,5	40	1,8	140
89415	0,30 x 1,8	60	1,8	160

art.-no.	mm	mm	Ø mm	mm
89416	0,40 x 2,0	60	2,0	160
89417	0,40 x 2,5	75	2,5	175
89418	0,50 x 3,0	75	3,0	175

## 89430 Phillips Screwdriver

for PHILLIPS-RECESS screws



art.-no.	+	mm	Ø mm	mm
89432	PH 00	40	2,5	140
89433	PH 0	60	3,0	160

art.-no.	+	mm	Ø mm	mm
89434	PH 1	80	4,5	180
89435	PH 1	150	4,5	250

## 89450 Torx Screwdriver



art.-no.	•	mm	Ø mm	mm	•
89451	T 5	50	2,5	150	M 1,6-2,0
89452	T 6	50	2,5	150	M 1,6-2,0
89453	T 7	50	2,5	150	M 1,6-2,0
89454	T 8	60	3,0	160	M 2,5

art.-no.	•	mm	Ø mm	mm	•
89455	T 9	60	3,0	160	M 3
89456	T 10	80	3,0	180	M 3
89457	T 15	80	3,5	180	M 3,5
89458	T 20	100	4,0	200	M 4

## 89480 Nutdriver



art.-no.	•	mm	mm
89485	3,0	60	160
89487	3,5	60	160
89488	4,0	60	160
89489	4,5	60	160

art.-no.	•	mm	mm
89490	5,0	60	160
89491	5,5	60	160
89492	6,0	60	160

## Screwdriver Assortment

Screwdriver set in impact-resistant plastic storage box  
7-pcs.

### art.-no. 89313

	art.-no.
● 0,30 x 1,5	89414
● 0,40 x 2,0	89416
● 0,40 x 2,5	89417
● 0,50 x 3,0	89418
⊕ PH 00	89432
⊕ PH 0	89433
⊕ PH 1	89434



# Miscellaneous Tools

## 92501 Round Awl

Blade is made from chrome-vanadium steel, bright nickel plated. Handle is made from impact-resistant plastic.



art.-no.	mm	Ø mm	mm
92501	50	3,0	55 x 30

## 92500 Round Awl

Blade is made from chrome-vanadium steel, bright nickel plated. Handle is made from impact-resistant plastic.



art.-no.	mm	Ø mm	mm
92500	100	6,0	85 x 34

## 92900 Square Reamer

Blade is made from chrome-vanadium steel, bright nickel plated.  
Handle is made from impact-resistant plastic.



art.-no.	mm	Ø mm	mm
92900	100	6,0	85 x 34

## 84300 Reversible Screwdriver

Blade is made from chrome-vanadium steel, zinc plated. Handle is made from impact-resistant plastic



art.-no.	mm	Ø mm	mm	
84301	SB 6,0 - PH 2	65	6,0	90 x 21
84302	PH 1 - PH 2	65	6,0	90 x 21
84304	SB 6,0 - PZ 2	65	6,0	90 x 21
84305	PZ 1 - PZ 2	65	6,0	90 x 21

## Picks & Hooks

These useful tools are aids for a multitude of different purposes and fields of application. E.g. the loosening of tightly seated gaskets or packing rings in the automotive industry. For the separation of cables in a cable harness in the electrical trade and also for use in the sanitary trade, as well as many other occupations and work places.



### Picks & Hooks - assortments

**art.-no. 691001**

**4-pcs.**

art.-no.	mm	Ø mm	mm
91001	70	3,5	75 x 21
91003	70	3,5	75 x 21

art.-no.	mm	Ø mm	mm
91002	70	3,5	75 x 21
91101	70	3,5	75 x 21

### Pick



art.-no.	mm	Ø mm	mm
91001	70	3,5	75 x 21

### Pick 45°



art.-no.	mm	Ø mm	mm
91003	70	3,5	75 x 21

### Pick 90°



art.-no.	mm	Ø mm	mm
91002	70	3,5	75 x 21

### Hook



art.-no.	mm	Ø mm	mm
91101	70	3,5	75 x 21

# Offset Screwdriver



## 40100 Offset Screwdriver 0° / 90°

For slotted screws. Bright nickel plated

art.-no.	mm	∅ mm	mm
40101	0,65 x 5,0	4,5	100
40102	0,8 x 6,0	6,0	125
40103	1,0 x 8,0	7,0	150
40104	1,4 x 10,0	9,0	175
40105	2,0 x 13,0	10,0	200



## 41100 Offset Screwdriver

For Phillips screws. Bright nickel plated

art.-no.	∅ mm	mm
41101	PH 1 + PH 2	6,0
41102	PH 3 + PH 4	10,0



## 42100 Combi Offset Screwdriver

For slotted and Phillips screws. Bright nickel plated

art.-no.	∅ mm	mm	∅ mm	mm
42101	PH 1	5,0	4,5	100
42102	PH 2	6,0	6,0	100

## 43000 Hexagonal Key Wrench

Premium chrome-vanadium steel, nickel plated with angular pattern to DIN ISO 2936 standards



art.-no.	∅ mm	art.-no.	∅ mm
43001	1,5	43017	13,0
43002	2,0	43018	14,0
43003	2,5	43019	15,0
43004	3,0	43020	16,0
43005	3,5	43021	17,0
43006	4,0	43022	18,0
43007	4,5	43023	19,0
43008	5,0	43024	20,0
43009	5,5	43025	21,0
43010	6,0	43026	22,0
43011	7,0	43027	24,0
43012	8,0	43028	27,0
43013	9,0	43029	30,0
43014	10,0	43030	32,0
43015	11,0	43031	36,0
43016	12,0		391 x 176

# Offset Screwdriver




## 43100 Hexagonal Key Wrench long execution

Premium chrome-vanadium steel, nickel plated with angular pattern to DIN ISO 2936 standards



art.-no.	mm	art.-no.	mm		
43101	1,5	93 x 15	43111	7,0	197 x 41
43102	2,0	102 x 18	43112	8,0	208 x 44
43103	2,5	116 x 21	43113	9,0	219 x 47
43104	3,0	129 x 23	43114	10,0	234 x 50
43105	3,5	140 x 25,5	43115	11,0	247 x 53
43106	4,0	144 x 29	43116	12,0	262 x 47
43107	4,5	156 x 30,5	43117	13,0	277 x 63
43108	5,0	165 x 33	43118	14,0	294 x 70
43109	5,5	175,5 x 35,5	43119	17,0	337 x 80
43110	6,0	186 x 38	43120	19,0	379 x 89



## 43700 Hexagonal Key Wrench with Ballpoint

Premium chrome-vanadium steel, steel grey

art.-no.	mm	art.-no.	mm		
43715	1,5	76 x 14	43705	5,0	130 x 28
43702	2,0	81 x 16	43706	6,0	150 x 32
43725	2,5	89 x 18	43708	8,0	170 x 36
43703	3,0	95 x 20	43710	10,0	190 x 40
43704	4,0	110 x 25	43712	12,0	210 x 45



## 43600 XZN Offset Screwdriver

Premium chrome-vanadium steel, burnished, to DIN 65253 standard

art.-no.	mm	art.-no.	mm		
43601	M 5	72 x 25	43604	M 10	100 x 36
43602	M 6	80 x 28	43605	M 12	112 x 40
43603	M 8	90 x 32	43606	M 14	125 x 45



## 39400 Torx-Offset Screwdriver

Premium chrome-vanadium steel, burnished

art.-no.	mm	art.-no.	mm
39454	T 5 44 x 14 M 2	39462	T 25 60 x 20 M 5
39455	T 6 44 x 14 M 2	39463	T 27 64 x 22 M 5
39456	T 7 48 x 16 M 2,5	39464	T 30 70 x 24 M 6
39457	T 8 48 x 16 M 2,5	39465	T 40 76 x 26 M 8
39458	T 9 48 x 16 M 3	39466	T 45 83 x 29 M 8-10
39459	T 10 51 x 17 M 3	39467	T 50 95 x 32 M 10
39460	T 15 54 x 18 M 3,5	39468	T 55 108 x 35 M 12
39461	T 20 57 x 19 M 4	39469	T 60 120 x 38 M 14

# Offset Screwdriver Sets



## Hexagonal Key Wrench

Premium chrome-vanadium steel, nickel plated with angular pattern to DIN ISO 2936 standards. Comes in plastic dispenser

art.-no.

45020



7-pcs.

1,5-2-2,5-3-4-5-6

45021

9-pcs.

1,5-2-2,5-3-4-5-6-8-10



## Hexagonal Key Wrench

long execution

Premium chrome-vanadium steel, nickel plated with angular pattern to DIN ISO 2936 standards. Comes in plastic dispenser

art.-no.

45030



9-pcs.

1,5-2-2,5-3-4-5-6-8-10



## Ballpoint Offset Screwdriver Set

Premium chrome-vanadium steel, steel grey.  
Comes in plastic dispenser

art.-no.

45031



9-pcs.

1,5-2-2,5-3-4-5-6-8-10

# Offset Screwdriver Sets



## TORX Offset Screwdriver Set

Premium chrome-vanadium steel, burnished.  
Comes in plastic dispenser

art.-no.

45032



8-pcs.

T 9, T 10, T 15, T 20, T 25, T 27, T 30, T 40



## TORX Ballpoint Offset Screwdriver Set

Premium chrome-vanadium steel, steel grey.  
Comes in plastic dispenser

art.-no.

45033



8-pcs.

T 9, T 10, T 15, T 20, T 25, T 27, T 30, T 40



## Hexagonal Key Wrench

Premium chrome-vanadium steel, nickel plated with angular pattern to DIN ISO 2936 standards. Comes on combi-clip

art.-no.

39452



7-pcs.

2,5-3-4-5-6-8-10



## TORX Offset Screwdriver Set

Premium chrome-vanadium steel, burnished.  
Comes on combi-clip

art.-no.

39453



8-pcs.

T 9, T 10, T 15, T 20, T 25, T 27, T 30, T 40

# Displays for screwdrivers



## Display Stand without screwdrivers

50 pieces, 425 mm wide, 233 mm deep, 445 mm high  
exemplary assortment - for MAXXPRO, MAXXPROplus,  
PROTOP, PROTOPplus, TRIAX

art.-no. 22001



## Display Stand without screwdrivers

50 pieces, 425 mm wide, 233 mm deep, 445 mm high  
exemplary assortment - for MAXXPRO VDE, PROTOP VDE

art.-no. 22001



## Display Stand without screwdrivers

holds 25 pcs. without screwdrivers,  
500 mm wide, 170 mm deep, 460 mm high

art.-no. 23810

## **Display Stand without screwdrivers**

50 pieces, 390 mm wide, 235 mm deep  
exemplary assortment - only for TOPLUS

**art.-no. 21965**



## **Display Stand without screwdrivers**

50 pieces, 250 mm wide, 150 mm deep  
This display stand can be equipped with WITTRON screwdrivers  
with a blade length up to 80 mm.


**art.-no. 89590**



## **Display Stand without screwdrivers**

50 pieces, 250 mm wide, 150 mm deep  
This display stand can be equipped with WITTRON VDE screwdrivers  
with a blade length up to 80 mm.

**art.-no. 89591**




# Displays for screwdrivers



## Pegboard Display without screwdrivers

with 11 peg hooks and bar code header,  
500 mm wide, 360 mm deep  
exemplary assortment - for MAXXPRO, MAXXPROplus,  
PROTOP, PROTOPplus, TRIAX

art.-no. 85800



## Pegboard Display without screwdrivers

with 11 peg hooks and bar code header,  
500 mm wide, 360 mm deep  
exemplary assortment - for MAXXPRO VDE, PROTOP VDE

art.-no. 85800



## Pegboard Display without screwdrivers

with 11 peg hooks and bar code header,  
500 mm wide, 360 mm deep  
exemplary assortment - for TOPLUS, wooden-handled screwdrivers

art.-no. 85800

# *Displays for screwdrivers*



## **Display for shelf system hooks without screwdrivers**

140 pieces, 1000 mm wide, approx. 260 mm deep  
exemplary assortment - for MAXXPRO, MAXXPROplus, MAXXPRO VDE, PROTOP, PROTOPplus, PROTOP VDE, TOPLUS, TRIAX,  
wooden-handled screwdrivers

**art.-no. 22491**



## **Display for shelf system hooks without screwdrivers**

280 pieces, 1000 mm wide, approx. 460 mm deep  
exemplary assortment - for MAXXPRO, MAXXPROplus, MAXXPRO VDE, PROTOP, PROTOPplus, PROTOP VDE, TOPLUS, TRIAX,  
wooden-handled screwdrivers

**art.-no. 22490**

## Witte's Bit programme.

An optimized torque transmission, high torque resistance and extremely long working life are not without reason. It all depends on the quality of the steels, the special hardening and tempering treatments and the perfect fitting of the bit. Witte's bit programme does not allow for any compromises and offers the correct solution for every requirement.



### BITFLEX

The narrow recessed waist section reliably absorbs sudden and exceeded peaks in torque overload. Thereby, a longer working life than experienced with normal bits.



### BITFLEX TIN

This coating has a hardness in the range of 2800 HV - especially suitable in industrial use for continual screw driving. Due to their extremely long working life and the lack of constant bit changing, important cost savings are made.



### STANDARD


For screw-driving with high and sudden increasing torque, e.g. when driving screws with metal fittings into wood and when driving fastening screws with metric or other threads.



### STANDARD E „Extra Hard“

For screw-driving with low and equally increasing torques, e.g. with wood, tin or plaster board sheets.





		Phillips
		Pozidriv
		Modul PH
		Modul PZ
		Slotted
		Hexagon Head
		Hexagon External
		Torx
		Torx TR
		XZN
		Square
		TRI-WING
		TORQ-SET
		Five Star



## Phillips



**TIN**

### BITFLEX

with torque absorption zone between drive and tip

art.-no.	⊕	— mm —	drive 1/4" C
28421	PH 1	25	6,3 mm
28422	PH 2	25	6,3 mm
28423	PH 3	25	6,3 mm



### BITFLEX

with torque absorption zone between drive and tip

art.-no.	⊕	— mm —	drive 1/4" C
28021	PH 1	25	6,3 mm
28022	PH 2	25	6,3 mm
28023	PH 3	25	6,3 mm



reduced tip

art.-no.	⊕	— mm —	drive 1/4" C
27018	PH 0	25	C6,3 DIN3126 / ISO1173
27020	PH 1	25	C6,3 DIN3126 / ISO1173
27021	PH 2	25	C6,3 DIN3126 / ISO1173
27022	PH 3	25	C6,3 DIN3126 / ISO1173
27012	PH 2	32	C6,3 DIN3126 / ISO1173
27013	PH 3	32	C6,3 DIN3126 / ISO1173
27023	PH 4	32	C6,3 DIN3126 / ISO1173



extra hard

art.-no.	⊕	— mm —	drive 1/4" C
27036	PH 2	25	C6,3 DIN3126 / ISO1173



extra hard  
reduced tip

art.-no.	⊕	— mm —	drive 1/4" C
27120	PH 1	25	C6,3 DIN3126 / ISO1173
27121	PH 2	25	C6,3 DIN3126 / ISO1173
27122	PH 3	25	C6,3 DIN3126 / ISO1173

art.-no.	⊕	— mm —	drive 1/4" C
27123	PH 2	25	C6,3 DIN3126 / ISO1173



**TIN**



art.-no.	⊕	— mm —	drive 1/4" C
27551	PH 1	50	E6,3 DIN3126 / ISO1173
27552	PH 2	50	E6,3 DIN3126 / ISO1173
27553	PH 3	50	E6,3 DIN3126 / ISO1173

art.-no.	⊕	— mm —	drive 1/4" C
27520	PH 1	50	E6,3 DIN3126 / ISO1173
27521	PH 2	50	E6,3 DIN3126 / ISO1173
27522	PH 3	50	E6,3 DIN3126 / ISO1173
27523	PH 4	50	E6,3 DIN3126 / ISO1173



## Phillips



art.-no. + mm drive 1/4" C

art.-no.		mm	
27450	PH 1	70	E6,3 DIN3126 / ISO1173
27455	PH 2	70	E6,3 DIN3126 / ISO1173
27460	PH 3	70	E6,3 DIN3126 / ISO1173
27451	PH 1	90	E6,3 DIN3126 / ISO1173
27456	PH 2	90	E6,3 DIN3126 / ISO1173
27461	PH 3	90	E6,3 DIN3126 / ISO1173
27452	PH 1	110	E6,3 DIN3126 / ISO1173
27457	PH 2	110	E6,3 DIN3126 / ISO1173
27462	PH 3	110	E6,3 DIN3126 / ISO1173
27453	PH 1	125	E6,3 DIN3126 / ISO1173
27458	PH 2	125	E6,3 DIN3126 / ISO1173
27463	PH 3	125	E6,3 DIN3126 / ISO1173
27454	PH 1	150	E6,3 DIN3126 / ISO1173
27459	PH 2	150	E6,3 DIN3126 / ISO1173
27464	PH 3	150	E6,3 DIN3126 / ISO1173



art.-no. + mm drive 5/16"

art.-no.		mm	
27801	PH 1	32	C8 DIN3126
27802	PH 2	32	C8 DIN3126
27803	PH 3	32	C8 DIN3126
27804	PH 4	32	C8 DIN3126



art.-no. + mm drive 5,5 mm

art.-no.		mm	
30691	PH 1	50	A5,5 DIN3126
30692	PH 2	50	A5,5 DIN3126
30693	PH 3	50	A5,5 DIN3126



art.-no. + mm drive 7 mm

art.-no.		mm	
30791	PH 1	53	G7 DIN3126
30792	PH 2	53	G7 DIN3126
30793	PH 3	53	G7 DIN3126

## Pozidriv



TIN

## BITFLEX

with torque absorption zone between drive and tip

art.-no. + mm drive 1/4" C

art.-no.		mm	
28445	PZ 1	25	6,3 mm
28446	PZ 2	25	6,3 mm
28447	PZ 3	25	6,3 mm



## BITFLEX

with torque absorption zone between drive and tip

art.-no. + mm drive 1/4" C

art.-no.		mm	
28045	PZ 1	25	6,3 mm
28046	PZ 2	25	6,3 mm
28047	PZ 3	25	6,3 mm



reduced tip

art.-no. + mm drive 1/4" C

art.-no.		mm	
27043	PZ 0	25	C6,3 DIN3126 / ISO1173
27045	PZ 1	25	C6,3 DIN3126 / ISO1173
27046	PZ 2	25	C6,3 DIN3126 / ISO1173
27047	PZ 3	25	C6,3 DIN3126 / ISO1173
27052	PZ 2	32	C6,3 DIN3126 / ISO1173
27053	PZ 3	32	C6,3 DIN3126 / ISO1173
27048	PZ 4	32	C6,3 DIN3126 / ISO1173

art.-no. + mm drive 1/4" C

art.-no.		mm	
27057	PZ 2	25	C6,3 DIN3126 / ISO1173



## Pozidriv



extra hard

art.-no.		mm	drive 1/4" C
27245	PZ 1	25	C6,3 DIN3126 / ISO1173
27246	PZ 2	25	C6,3 DIN3126 / ISO1173
27247	PZ 3	25	C6,3 DIN3126 / ISO1173



extra hard

art.-no.		mm	drive 1/4" C
27248	PZ 2	25	C6,3 DIN3126 / ISO1173



TIN

art.-no.		mm	drive 1/4" C
27541	PZ 1	50	E6,3 DIN3126 / ISO1173
27542	PZ 2	50	E6,3 DIN3126 / ISO1173
27543	PZ 3	50	E6,3 DIN3126 / ISO1173



art.-no.		mm	drive 1/4" C
27545	PZ 1	50	E6,3 DIN3126 / ISO1173
27546	PZ 2	50	E6,3 DIN3126 / ISO1173
27547	PZ 3	50	E6,3 DIN3126 / ISO1173
27548	PZ 4	50	E6,3 DIN3126 / ISO1173



art.-no.		mm	drive 1/4" C
27560	PZ 1	70	E6,3 DIN3126 / ISO1173
27565	PZ 2	70	E6,3 DIN3126 / ISO1173
27570	PZ 3	70	E6,3 DIN3126 / ISO1173
27561	PZ 1	90	E6,3 DIN3126 / ISO1173
27566	PZ 2	90	E6,3 DIN3126 / ISO1173
27571	PZ 3	90	E6,3 DIN3126 / ISO1173
27562	PZ 1	110	E6,3 DIN3126 / ISO1173
27567	PZ 2	110	E6,3 DIN3126 / ISO1173
27572	PZ 3	110	E6,3 DIN3126 / ISO1173
27563	PZ 1	125	E6,3 DIN3126 / ISO1173
27568	PZ 2	125	E6,3 DIN3126 / ISO1173
27573	PZ 3	125	E6,3 DIN3126 / ISO1173
27564	PZ 1	150	E6,3 DIN3126 / ISO1173
27569	PZ 2	150	E6,3 DIN3126 / ISO1173
27574	PZ 3	150	E6,3 DIN3126 / ISO1173

art.-no.		mm	drive 5/16"
27811	PZ 1	32	C8 DIN3126
27812	PZ 2	32	C8 DIN3126
27813	PZ 3	32	C8 DIN3126
27814	PZ 4	32	C8 DIN3126



art.-no.		mm	drive 5,5 mm
30701	PZ 1	50	A5,5 DIN3126
30702	PZ 2	50	A5,5 DIN3126
30703	PZ 3	50	A5,5 DIN3126

art.-no.		mm	drive 7 mm
30801	PZ 1	53	G7 DIN3126
30802	PZ 2	53	G7 DIN3126
30803	PZ 3	53	G7 DIN3126



## Slotted



TIN



## drive 1/4" C

art.-no.		mm	mm	
26431	0,6 x 4,5	25	C6,3 DIN3126 / ISO1173	
26432	0,8 x 5,5	25	C6,3 DIN3126 / ISO1173	
26434	1,2 x 6,5	25	C6,3 DIN3126 / ISO1173	

## drive 1/4" C

art.-no.		mm	mm	
26410	0,5 x 4,0	25	C6,3 DIN3126 / ISO1173	
26411	0,6 x 4,5	25	C6,3 DIN3126 / ISO1173	
26412	0,8 x 5,5	25	C6,3 DIN3126 / ISO1173	
26413	1,0 x 6,0	25	C6,3 DIN3126 / ISO1173	
26414	1,2 x 6,5	25	C6,3 DIN3126 / ISO1173	
26415	1,6 x 8,0	25	C6,3 DIN3126 / ISO1173	
26416	1,6 x 9,0	38	C6,3 DIN3126 / ISO1173	



TIN



## drive 1/4" C

art.-no.		mm	mm	
27531	0,6 x 4,5	50	E6,3 DIN3126 / ISO1173	
27532	0,8 x 5,5	50	E6,3 DIN3126 / ISO1173	
27534	1,2 x 6,5	50	E6,3 DIN3126 / ISO1173	

## drive 1/4" C

art.-no.		mm	mm	
27510	0,5 x 4,0	50	E6,3 DIN3126 / ISO1173	
27511	0,6 x 4,5	50	E6,3 DIN3126 / ISO1173	
27512	0,8 x 5,5	50	E6,3 DIN3126 / ISO1173	
27513	1,0 x 6,0	50	E6,3 DIN3126 / ISO1173	
27514	1,2 x 6,5	50	E6,3 DIN3126 / ISO1173	
27515	1,6 x 8,0	50	E6,3 DIN3126 / ISO1173	
27516	1,6 x 9,0	50	E6,3 DIN3126 / ISO1173	



## drive 5/16"

art.-no.		mm	mm	
27828	0,8 x 5,5	41	C8 DIN3126	
27831	1,0 x 6,0	41	C8 DIN3126	
27829	1,2 x 6,5	41	C8 DIN3126	
27832	1,6 x 8,0	41	C8 DIN3126	
27833	1,6 x 10,0	41	C8 DIN3126	
27834	2,0 x 12,0	41	C8 DIN3126	

## drive 5,5 mm

art.-no.		mm	mm	
30680	0,5 x 4,0	50	A5,5 DIN3126	
30681	0,6 x 4,5	50	A5,5 DIN3126	
30682	0,8 x 5,5	50	A5,5 DIN3126	
30683	1,0 x 6,0	50	A5,5 DIN3126	
30684	1,2 x 6,5	50	A5,5 DIN3126	
30685	1,6 x 8,0	50	A5,5 DIN3126	



## drive 7 mm

art.-no.		mm	mm	
30780	0,5 x 4,0	53	G7 DIN3126	
30781	0,6 x 4,5	53	G7 DIN3126	
30782	0,8 x 5,5	53	G7 DIN3126	
30783	1,0 x 6,0	53	G7 DIN3126	
30784	1,2 x 6,5	53	G7 DIN3126	
30785	1,6 x 8,0	53	G7 DIN3126	



Torx



**TIN**



art.-no.		mm	drive 1/4" C
<b>29513</b>	T 10	25	C6,3 DIN3126 / ISO1173
<b>29514</b>	T 15	25	C6,3 DIN3126 / ISO1173
<b>29515</b>	T 20	25	C6,3 DIN3126 / ISO1173
<b>29516</b>	T 25	25	C6,3 DIN3126 / ISO1173
<b>29517</b>	T 27	25	C6,3 DIN3126 / ISO1173
<b>29518</b>	T 30	25	C6,3 DIN3126 / ISO1173
<b>29519</b>	T 40	25	C6,3 DIN3126 / ISO1173

art.-no.		mm	drive 1/4" C
<b>29459</b>	T 4	25	C6,3 DIN3126 / ISO1173
<b>29460</b>	T 5	25	C6,3 DIN3126 / ISO1173
<b>29490</b>	T 6	25	C6,3 DIN3126 / ISO1173
<b>29495</b>	T 7	25	C6,3 DIN3126 / ISO1173
<b>29501</b>	T 8	25	C6,3 DIN3126 / ISO1173
<b>29502</b>	T 9	25	C6,3 DIN3126 / ISO1173
<b>29503</b>	T 10	25	C6,3 DIN3126 / ISO1173
<b>29504</b>	T 15	25	C6,3 DIN3126 / ISO1173
<b>29505</b>	T 20	25	C6,3 DIN3126 / ISO1173
<b>29506</b>	T 25	25	C6,3 DIN3126 / ISO1173
<b>29507</b>	T 27	25	C6,3 DIN3126 / ISO1173
<b>29508</b>	T 30	25	C6,3 DIN3126 / ISO1173
<b>29509</b>	T 40	25	C6,3 DIN3126 / ISO1173




**TIN**



art.-no.		mm	drive 1/4" C
<b>29613</b>	T 10	50	E6,3 DIN3126 / ISO1173
<b>29614</b>	T 15	50	E6,3 DIN3126 / ISO1173
<b>29615</b>	T 20	50	E6,3 DIN3126 / ISO1173
<b>29616</b>	T 25	50	E6,3 DIN3126 / ISO1173
<b>29617</b>	T 27	50	E6,3 DIN3126 / ISO1173
<b>29618</b>	T 30	50	E6,3 DIN3126 / ISO1173
<b>29619</b>	T 40	50	E6,3 DIN3126 / ISO1173

art.-no.		mm	drive 1/4" C
<b>29603</b>	T 10	50	E6,3 DIN3126 / ISO1173
<b>29604</b>	T 15	50	E6,3 DIN3126 / ISO1173
<b>29605</b>	T 20	50	E6,3 DIN3126 / ISO1173
<b>29606</b>	T 25	50	E6,3 DIN3126 / ISO1173
<b>29607</b>	T 27	50	E6,3 DIN3126 / ISO1173
<b>29608</b>	T 30	50	E6,3 DIN3126 / ISO1173
<b>29609</b>	T 40	50	E6,3 DIN3126 / ISO1173



art.-no.		mm	drive 1/4" C
<b>29671</b>	T 10	70	E6,3 DIN3126 / ISO1173
<b>29672</b>	T 15	70	E6,3 DIN3126 / ISO1173
<b>29673</b>	T 20	70	E6,3 DIN3126 / ISO1173
<b>29674</b>	T 25	70	E6,3 DIN3126 / ISO1173
<b>29675</b>	T 27	70	E6,3 DIN3126 / ISO1173
<b>29676</b>	T 30	70	E6,3 DIN3126 / ISO1173
<b>29677</b>	T 40	70	E6,3 DIN3126 / ISO1173
<b>29681</b>	T 10	90	E6,3 DIN3126 / ISO1173
<b>29682</b>	T 15	90	E6,3 DIN3126 / ISO1173
<b>29683</b>	T 20	90	E6,3 DIN3126 / ISO1173
<b>29684</b>	T 25	90	E6,3 DIN3126 / ISO1173
<b>29685</b>	T 27	90	E6,3 DIN3126 / ISO1173
<b>29686</b>	T 30	90	E6,3 DIN3126 / ISO1173
<b>29687</b>	T 40	90	E6,3 DIN3126 / ISO1173
<b>29691</b>	T 10	150	E6,3 DIN3126 / ISO1173
<b>29692</b>	T 15	150	E6,3 DIN3126 / ISO1173
<b>29693</b>	T 20	150	E6,3 DIN3126 / ISO1173
<b>29694</b>	T 25	150	E6,3 DIN3126 / ISO1173
<b>29695</b>	T 27	150	E6,3 DIN3126 / ISO1173
<b>29696</b>	T 30	150	E6,3 DIN3126 / ISO1173
<b>29697</b>	T 40	150	E6,3 DIN3126 / ISO1173

art.-no.		mm	drive 5/16" C
<b>27820</b>	T 25	35	C8 DIN3126
<b>27821</b>	T 27	35	C8 DIN3126
<b>27822</b>	T 30	35	C8 DIN3126
<b>27823</b>	T 40	35	C8 DIN3126
<b>27824</b>	T 45	35	C8 DIN3126
<b>27825</b>	T 50	35	C8 DIN3126
<b>27827</b>	T 55	35	C8 DIN3126



## Torx Tamper Resistant



TIN



art.-no.		drive 1/4" C	
	mm		
29593	T 10 TR	25	C6,3 DIN3126 / ISO1173
29594	T 15 TR	25	C6,3 DIN3126 / ISO1173
29595	T 20 TR	25	C6,3 DIN3126 / ISO1173
29596	T 25 TR	25	C6,3 DIN3126 / ISO1173
29597	T 27 TR	25	C6,3 DIN3126 / ISO1173
29598	T 30 TR	25	C6,3 DIN3126 / ISO1173
29599	T 40 TR	25	C6,3 DIN3126 / ISO1173

art.-no.		drive 1/4" C	
	mm		
29477	T 7 TR	25	C6,3 DIN3126 / ISO1173
29478	T 8 TR	25	C6,3 DIN3126 / ISO1173
29479	T 9 TR	25	C6,3 DIN3126 / ISO1173
29480	T 10 TR	25	C6,3 DIN3126 / ISO1173
29481	T 15 TR	25	C6,3 DIN3126 / ISO1173
29482	T 20 TR	25	C6,3 DIN3126 / ISO1173
29483	T 25 TR	25	C6,3 DIN3126 / ISO1173
29484	T 27 TR	25	C6,3 DIN3126 / ISO1173
29485	T 30 TR	25	C6,3 DIN3126 / ISO1173
29486	T 40 TR	25	C6,3 DIN3126 / ISO1173



## Five Star



art.-no.		drive 1/4" C	
	mm		
26870	IPR 10	25	C6,3 DIN 3126 / ISO1173
26871	IPR 15	25	C6,3 DIN 3126 / ISO1173
26872	IPR 20	25	C6,3 DIN 3126 / ISO1173
26873	IPR 25	25	C6,3 DIN 3126 / ISO1173
26874	IPR 27	25	C6,3 DIN 3126 / ISO1173
26875	IPR 30	25	C6,3 DIN 3126 / ISO1173
26876	IPR 40	25	C6,3 DIN 3126 / ISO1173



## Hexagon Head



art.-no.		drive 1/4" C	
	mm		
27080	1,5	25	C6,3 DIN3126 / ISO1173
27081	2,0	25	C6,3 DIN3126 / ISO1173
27082	2,5	25	C6,3 DIN3126 / ISO1173
27083	3,0	25	C6,3 DIN3126 / ISO1173
27084	4,0	25	C6,3 DIN3126 / ISO1173
27085	5,0	25	C6,3 DIN3126 / ISO1173
27086	6,0	25	C6,3 DIN3126 / ISO1173
27087	8,0	25	C6,3 DIN3126 / ISO1173

art.-no.		drive 1/4" C	
	mm		
27193	3,0	50	E6,3 DIN3126 / ISO1173
27194	4,0	50	E6,3 DIN3126 / ISO1173
27195	5,0	50	E6,3 DIN3126 / ISO1173
27196	6,0	50	E6,3 DIN3126 / ISO1173
27198	8,0	50	E6,3 DIN3126 / ISO1173



art.-no.		drive 5/16"	
	mm		
27851	4,0	30	C8 DIN3126
27852	5,0	30	C8 DIN3126
27853	6,0	30	C8 DIN3126
27854	7,0	30	C8 DIN3126
27855	8,0	30	C8 DIN3126
27856	10,0	30	C8 DIN3126

art.-no.		drive 5,5 mm	
	mm		
30753	3,0	50	A5,5 DIN3126
30754	4,0	50	A5,5 DIN3126
30755	5,0	50	A5,5 DIN3126
30756	6,0	50	A5,5 DIN3126
30758	8,0	50	A5,5 DIN3126



## Ballpoint



art.-no.	Ø	l mm
27183	3,0	50
27184	4,0	50
27185	5,0	50
27186	6,0	50

### drive 1/4" C

E6,3 DIN3126 / ISO1173



## Hexagon External



art.-no.	Ø	l mm
26231	5,0	45
26232	5,5	45
26233	6,0	45
26234	7,0	45
26235	8,0	45
26236	9,0	45
26237	10,0	45
26238	11,0	45
26239	12,0	45
26240	13,0	45
26241	1/4"	45
26242	3/8"	45
26243	5/16"	45

### drive 1/4" C

E6,3 DIN3126 / ISO1173



## XZN



art.-no.	Ø	l mm
27414	M 4	25
27415	M 5	25
27416	M 6	25
27418	M 8	25

### drive 1/4" C

C6,3 DIN3126 / ISO1173

art.-no.	Ø	l mm
27840	M 4	35
27841	M 5	35
27842	M 6	35
27843	M 8	35
27844	M 10	35
27845	M 12	35

### drive 5/16"

C8 DIN3126



## Square



art.-no.	Ø	l mm
27091	1	25
27092	2	25
27093	3	25

### drive 1/4" C

C6,3 DIN3126 / ISO1173

art.-no.	Ø	l mm
27591	1	50
27592	2	50
27593	3	50

### drive 1/4" C

E6,3 DIN3126 / ISO1173



## Modul



art.-no.	Ø	l mm
26461	PH 1 / MODUL	70
26462	PH 2 / MODUL	70

### drive 1/4" C

E6,3 DIN 3126 / ISO 1173

art.-no.	Ø	l mm
26471	PZ 1 / MODUL	70
26472	PZ 2 / MODUL	70

E6,3 DIN 3126 / ISO 1173

E6,3 DIN 3126 / ISO 1173



## TORQ-SET



art.-no.			drive 1/4" C
	⊕	mm	⊖
27330	TS 0	25	C6,3 DIN3126 / ISO1173
27331	TS 1	25	C6,3 DIN3126 / ISO1173
27332	TS 2	25	C6,3 DIN3126 / ISO1173
27333	TS 3	25	C6,3 DIN3126 / ISO1173
27334	TS 4	25	C6,3 DIN3126 / ISO1173
27335	TS 5	25	C6,3 DIN3126 / ISO1173
27336	TS 6	25	C6,3 DIN3126 / ISO1173
27337	TS 8	25	C6,3 DIN3126 / ISO1173
27338	TS 10	25	C6,3 DIN3126 / ISO1173
27339	TS 1/4"	32	C6,3 DIN3126 / ISO1173



art.-no.		mm	drive 5/16" ⊖
	⊕	mm	⊖
27394	TS 8	32	C8 DIN3126
27395	TS 10	32	C8 DIN3126
27396	TS 1/4"	32	C8 DIN3126
27397	TS 5/16"	32	C8 DIN3126
27398	TS 3/8"	32	C8 DIN3126



## TRI-WING



art.-no.			drive 1/4" C
	⌚	mm	⊖
27480	TW 0	25	C6,3 DIN3126 / ISO1173
27481	TW 1	25	C6,3 DIN3126 / ISO1173
27482	TW 2	25	C6,3 DIN3126 / ISO1173
27483	TW 3	25	C6,3 DIN3126 / ISO1173
27484	TW 4	25	C6,3 DIN3126 / ISO1173
27485	TW 5	25	C6,3 DIN3126 / ISO1173



## 1/4" Adapter



art.-no.		mm	drive 1/4" C
	⌚	mm	⊖
26298	1/4"	25	C6,3 DIN3126 / ISO1173
26398	1/4"	50	C6,3 DIN3126 / ISO1173



## Double Ended Bits




art.-no.	⊕	⊕	mm	drive 1/4" C
	⊕	⊕	mm	⊖
29010	PH 1	PZ 1	60	6,3 mm
29011	PH 2	PZ 2	60	6,3 mm
29012	PH 3	PZ 3	60	6,3 mm



art.-no.	⊕	⊖	mm	drive 1/4" C
	⊕	⊖	mm	⊖
29001	PH 1	0,6 x 4,5	60	6,3 mm
29002	PH 2	0,8 x 5,5	60	6,3 mm
29003	PH 3	1,0 x 6,0	60	6,3 mm



art.-no.	⊕	⊖	mm	drive 1/4" C
	⊕	⊖	mm	⊖
29004	PZ 1	0,6 x 4,5	60	6,3 mm
29005	PZ 2	0,8 x 5,5	60	6,3 mm
29006	PZ 3	1,0 x 6,0	60	6,3 mm



art.-no.	⊕	⊖	mm	drive 1/4" C
	⊕	⊖	mm	⊖
29007	0,5 x 3,0	0,6 x 4,5	60	6,3 mm
29008	0,8 x 5,5	1,0 x 6,0	60	6,3 mm
29009	1,2 x 6,5	1,6 x 8,0	60	6,3 mm



art.-no.	⊕	⊖	mm	drive 1/4" C
	⊕	⊖	mm	⊖
29016	T 10	T 15	60	6,3 mm
29017	T 20	T 25	60	6,3 mm
29018	T 30	T 40	60	6,3 mm

# Bit Holder for power tools magnetic



art.-no.	Drive	mm
26006	1/4" E6,3 DIN3126 Universal without retaining	60



art.-no.	Drive	mm
26001	1/4" E6,3 DIN3126 Universal with retaining ring	75
26014		150
26024		200



art.-no.	Drive	mm
26294	1/4" E6,3 DIN3126 Universal with keyless chuck and retaining ring	52



art.-no.	Drive	mm
26002	5,5 A5,5 DIN3126 with retaining ring	79



art.-no.	Drive	mm
26003	7,0 mm G7 DIN3126 with retaining ring	77



art.-no.	Drive	mm
26004	5/16" with retaining ring	70



art.-no.	Drive	mm
26009	10,0 mm SDS plus with retaining ring	78



art.-no.	Drive	mm
26005	11,0 mm with retaining ring	82

# The Professional Tool.

**retractable  
Bit-magazine**

**large gripping  
surfaced handle**

The BITDRIVE stands for fast and professional screw-driving. The handle has various qualities. The well known triangular handle with patented micro fibre surface which resists slipping even in oily and greasy hands. A retractable bit magazine in the handle contains 6 industrial quality bits. The extremely high mechanical

stability is characteristic for the BITDRIVE.

- BITDRIVE with ratchet right-hand/left-hand rotation and lock. The shaft is 60 mm in length with magnetic bit holder.
- BITDRIVE Has a shaft 125mm in length plus a magnetic bit holder.

**anti-slip micro fibre surface**

**switchable ratchet**

**1/4" drive**



## BITDRIVE with ratchet

right-hand/left-hand rotation and lock,  
Shaft is 60mm in length with magnetic holder, 3 bit assortments to choose from



standard	
art.-no.	piece
⊕ PH 1	1
⊕ PH 2	1
⊕ PZ 1	1
⊕ PZ 2	1
● 0,8 x 5,5	1
● 1,2 x 6,5	1



BITFLEX TIN	
art.-no.	piece
⊕ PH 1 BITFLEX TIN	1
⊕ PH 2 BITFLEX TIN	2
⊕ PZ 1 BITFLEX TIN	1
⊕ PZ 2 BITFLEX TIN	2



Torx TR	
art.-no.	piece
⊕ T 10 TR	1
⊕ T 15 TR	1
⊕ T 20 TR	1
⊕ T 25 TR	1
⊕ T 30 TR	1
⊕ T 40 TR	1

## BITDRIVE

has a shaft 125mm in length plus magnetic holder,  
3 bit assortments to choose from



standard	
art.-no.	piece
⊕ PH 1	1
⊕ PH 2	1
⊕ PZ 1	1
⊕ PZ 2	1
● 0,8 x 5,5	1
● 1,2 x 6,5	1



BITFLEX TIN	
art.-no.	piece
⊕ PH 1 BITFLEX TIN	1
⊕ PH 2 BITFLEX TIN	2
⊕ PZ 1 BITFLEX TIN	1
⊕ PZ 2 BITFLEX TIN	2



Torx TR	
art.-no.	piece
⊕ T 10 TR	1
⊕ T 15 TR	1
⊕ T 20 TR	1
⊕ T 25 TR	1
⊕ T 30 TR	1
⊕ T 40 TR	1

## Magazines



standard	
art.-no.	piece
⊕ PH 1	1
⊕ PH 2	1
⊕ PZ 1	1
⊕ PZ 2	1
● 0,8 x 5,5	1
● 1,2 x 6,5	1



BITFLEX TIN	
art.-no.	piece
⊕ PH 1 BITFLEX TIN	1
⊕ PH 2 BITFLEX TIN	2
⊕ PZ 1 BITFLEX TIN	1
⊕ PZ 2 BITFLEX TIN	2



Torx TR	
art.-no.	piece
⊕ T 10 TR	1
⊕ T 15 TR	1
⊕ T 20 TR	1
⊕ T 25 TR	1
⊕ T 30 TR	1
⊕ T 40 TR	1



Magazines easy-to-open plastic box	
right-hand/left-hand rotation and lock, Shaft is 60mm in length with magnetic holder and 3 bit assortments	
art.-no. 26080	

**Display Stand**, Holds 15 pcs., 350 mm wide, 250 mm deep, 415 mm high



### BITDRIVE with ratchet

right-hand/left-hand rotation and lock,

art.-no.		piece
26070	BITDRIVE with ratchet Standard	5
	BITDRIVE with ratchet BITFLEX TIN	5
	BITDRIVE with ratchet Torx TR	5



### BITDRIVE

has a shaft 125mm in length plus magnetic holder,

art.-no.		piece
26170	BITDRIVE Standard	5
	BITDRIVE BITFLEX TIN	5
	BITDRIVE Torx TR	5

**Carton display**, 30 pc Carton display 270 mm wide, 310 mm deep, 370 mm high



### BITDRIVE with ratchet

right-hand/left-hand rotation and lock,  
Shaft is 60mm in length with magnetic holder,

art.-no.		piece
26060	BITDRIVE with ratchet Standard	1
	BITDRIVE with ratchet BITFLEX TIN	1
	BITDRIVE with ratchet Torx TR	1
Magazines	Standard	1
Magazines	BITFLEX TIN	1
Magazines	Torx TR	1

### BITDRIVE

has a shaft 125mm in length plus magnetic holder,

art.-no.		piece
26160	BITDRIVE Standard	1
	BITDRIVE BITFLEX TIN	1
	BITDRIVE Torx TR	1
Magazines	Standard	1
Magazines	BITFLEX TIN	1
Magazines	Torx TR	1

## The compact one.

These bit-boxes are very practical and extremely robust. The COMBIT-BOX 7 fits in every pocket. The COMBIT-BOX 17 shows impressively that an extensive assortment of bits can be stowed away safely in a compact bit-box.

- A clear assortment for the quick choice of the correctly required bit
- The integral magnetic bit holder enables the box to be used as a manual screwdriver

- COMBIT-BOX 7 - with 6 bits and a magnetic holder, available in different compositions
- COMBIT-BOX 17 - with 16 bits and a magnetic holder, available in various combinations



**COMBIT-BOX® 7**

**Standard**
**art.-no. 27620 piece**

26006	1
PH 1	1
PH 2	1
PZ 1	1
PZ 2	1
0,8 x 5,5	1
1,2 x 6,5	1

**COMBIT-BOX® 17**

**Standard**
**art.-no. 27771 piece**

26006	1
PH 1	BITFLEX
PH 2	BITFLEX
PH 3	BITFLEX
PZ 1	BITFLEX
PZ 2	BITFLEX
PZ 3	BITFLEX
1,2 x 6,5	1
T 10 TR	1
T 15 TR	1
T 20 TR	1
T 25 TR	1
T 30 TR	1
T 40 TR	1


**BITFLEX TIN**
**art.-no. 27708 piece**

26006	1
PH 1	BITFLEX TIN
PH 2	BITFLEX TIN
PZ 1	BITFLEX TIN


**TIN**
**art.-no. 27772 piece**

26006	1
PH 1	BITFLEX TIN
PH 2	BITFLEX TIN
PH 3	BITFLEX TIN
PZ 1	BITFLEX TIN
PZ 2	BITFLEX TIN
PZ 3	BITFLEX TIN
1,2 x 6,5	TIN
T 10 TR	TIN
T 15 TR	TIN
T 20 TR	TIN
T 25 TR	TIN
T 30 TR	TIN
T 40 TR	TIN


**Torx TR**
**art.-no. 27630 piece**

26006	1
T 10 TR	1
T 15 TR	1
T 20 TR	1
T 25 TR	1
T 30 TR	1
T 40 TR	1


**Hexagon Head**
**art.-no. 27648 piece**

26006	1
2,0	1
2,5	1
3,0	1
4,0	1
5,0	1
6,0	1

## COMBIT-BOX® 7

18 pieces of each in an attractive display

### Standard

#### art.-no. 27623 piece

	26006	1
	PH 1	1
	PH 2	1
	PZ 1	1
	PZ 2	1
	0,8 x 5,5	1
	1,2 x 6,5	1



### BITFLEX TIN

#### art.-no. 27624 piece

	26006	1
	BITFLEX TIN	1
	BITFLEX TIN	2
	BITFLEX TIN	1
	BITFLEX TIN	2



### Torx TR

#### art.-no. 27625 piece

	26006	1
	T 10 TR	1
	T 15 TR	1
	T 20 TR	1
	T 25 TR	1
	T 30 TR	1
	T 40 TR	1



### Hexagon Head

#### art.-no. 27626 piece

	26006	1
	2,0	1
	2,5	1
	3,0	1
	4,0	1
	5,0	1
	6,0	1



## COMBIT-BOX® 17

12 pieces of each in an attractive display



### Standard

#### art.-no. 27751 piece

	26006	1
	BITFLEX	1
	BITFLEX	2
	BITFLEX	1
	BITFLEX	1
	BITFLEX	3
	BITFLEX	1
	1,2 x 6,5	1
	T 10 TR	1
	T 15 TR	1
	T 20 TR	1
	T 25 TR	1
	T 30 TR	1
	T 40 TR	1



### TIN

#### art.-no. 27752 piece

	26006	1
	BITFLEX TIN	1
	BITFLEX TIN	2
	BITFLEX TIN	1
	BITFLEX TIN	1
	BITFLEX TIN	3
	BITFLEX TIN	1
	1,2 x 6,5 TIN	1
	TIN	1
	TIN	1
	TIN	1
	TIN	1
	TIN	1
	TIN	1

## The varied one.



The transparent, clearly arranged storage magazine containing high quality bits has been developed for ease of use especially for professionals and demanding DIY users. Its rounded compact design enables easy storage and for carrying in work wear and clothing. By way of the

functional geometric design, when combined with the integral magnetic bit holder, the WITTE PROBIT-BOX becomes a quick and easy to use manual screwdriver.

- PROBIT-BOX 11 - with 10 bits and a magnetic holder, available in different assortments
- PROBIT-BOX 21 - with 20 bits and a magnetic holder, available in different assortments

**PROBIT-BOX® 11**



art.-no. 27791 piece

∞	26006	1	
⊕	PH 1	BITFLEX TIN	1
⊕	PH 2	BITFLEX TIN	3
⊕	PH 3	BITFLEX TIN	1
⊕	PZ 1	BITFLEX TIN	1
⊕	PZ 2	BITFLEX TIN	3
⊕	PZ 3	BITFLEX TIN	1

**PROBIT-BOX® E1**



art.-no. 27795 piece

∞	26006	1	
⊕	PH 1	BITFLEX TIN	2
⊕	PH 2	BITFLEX TIN	3
⊕	PH 3	BITFLEX TIN	2
⊕	PZ 1	BITFLEX TIN	2
⊕	PZ 2	BITFLEX TIN	3
⊕	PZ 3	BITFLEX TIN	2
⊗	T 10 TR	TIN	1
⊗	T 15 TR	TIN	1
⊗	T 20 TR	TIN	1
⊗	T 25 TR	TIN	1
⊗	T 30 TR	TIN	1
⊗	T 40 TR	TIN	1



art.-no. 27792 piece

∞	26006	1
⊕	PH 1	1
⊕	PH 2	3
⊕	PH 3	1
⊕	PZ 1	1
⊕	PZ 2	3
⊕	PZ 3	1



art.-no. 27796 piece

∞	26006	1
⊕	PH 1	2
⊕	PH 2	5
⊕	PH 3	2
⊕	PZ 1	2
⊕	PZ 2	5
⊕	PZ 3	2
●	0,8 x 5,5	1
●	1,2 x 6,5	1



art.-no. 27793 piece

∞	26006	1
⊕	PH 1	1
⊕	PH 2	1
⊕	PZ 1	1
⊕	PZ 2	1
⊗	T 10	1
⊗	T 15	1
⊗	T 20	1
⊗	T 25	1
⊗	T 30	1
⊗	T 40	1



art.-no. 27797 piece

∞	26006	1
⊕	PH 1	2
⊕	PH 2	3
⊕	PH 3	1
⊕	PZ 1	2
⊕	PZ 2	3
⊕	PZ 3	1
●	0,8 x 5,5	1
●	1,2 x 6,5	1
⊗	T 10	1
⊗	T 15	1
⊗	T 20	1
⊗	T 25	1
⊗	T 30	1
⊗	T 40	1



art.-no. 27794 piece

∞	26006	1	
⊕	PH 1	BITFLEX	1
⊕	PH 2	BITFLEX	2
⊕	PH 3	BITFLEX	1
⊕	PZ 1	BITFLEX	1
⊕	PZ 2	BITFLEX	2
⊕	PZ 3	BITFLEX	1
●	0,8 x 5,5	1	
●	1,2 x 6,5	1	



art.-no. 27798 piece

∞	26006	1	
⊕	PH 1	BITFLEX	2
⊕	PH 2	BITFLEX	3
⊕	PH 3	BITFLEX	2
⊕	PZ 1	BITFLEX	2
⊕	PZ 2	BITFLEX	3
⊕	PZ 3	BITFLEX	2
⊗	T 10 TR	TIN	1
⊗	T 15 TR	TIN	1
⊗	T 20 TR	TIN	1
⊗	T 25 TR	TIN	1
⊗	T 30 TR	TIN	1
⊗	T 40 TR	TIN	1

## **PROBIT-BOX® 11**

12 pieces of each in an attractive display carton.

**art.-no. 27781** piece

—∞	26006	1
⊕ PH 1	BITFLEX TIN	1
⊕ PH 2	BITFLEX TIN	3
⊕ PH 3	BITFLEX TIN	1
⊕ PZ 1	BITFLEX TIN	1
⊕ PZ 2	BITFLEX TIN	3
⊕ PZ 3	BITFLEX TIN	1



**art.-no. 27782** piece

—∞	26006	1
⊕ PH 1	BITFLEX	1
⊕ PH 2	BITFLEX	3
⊕ PH 3	BITFLEX	1
⊕ PZ 1	BITFLEX	1
⊕ PZ 2	BITFLEX	3
⊕ PZ 3	BITFLEX	1



**art.-no. 27783** piece

—∞	26006	1
⊕ PH 1	BITFLEX	1
⊕ PH 2	BITFLEX	1
⊕ PZ 1	BITFLEX	1
⊕ PZ 2	BITFLEX	1
⊕ T 10	TR	1
⊕ T 15	TR	1
⊕ T 20	TR	1
⊕ T 25	TR	1
⊕ T 30	TR	1
⊕ T 40	TR	1



**art.-no. 27784** piece

—∞	26006	1
⊕ PH 1	BITFLEX	1
⊕ PH 2	BITFLEX	2
⊕ PH 3	BITFLEX	1
⊕ PZ 1	BITFLEX	1
⊕ PZ 2	BITFLEX	2
⊕ PZ 3	BITFLEX	1
● 0,8 x 5,5		1
● 1,2 x 6,5		1



## **PROBIT-BOX® E1**

12 pieces of each in an attractive display carton.

**art.-no. 27785** piece

—∞	26006	1
⊕ PH 1	BITFLEX TIN	2
⊕ PH 2	BITFLEX TIN	3
⊕ PH 3	BITFLEX TIN	2
⊕ PZ 1	BITFLEX TIN	2
⊕ PZ 2	BITFLEX TIN	3
⊕ PZ 3	BITFLEX TIN	2
⊕ T 10 TR	TIN	1
⊕ T 15 TR	TIN	1
⊕ T 20 TR	TIN	1
⊕ T 25 TR	TIN	1
⊕ T 30 TR	TIN	1
⊕ T 40 TR	TIN	1

**art.-no. 27786** piece

—∞	26006	1
⊕ PH 1	BITFLEX	2
⊕ PH 2	BITFLEX	5
⊕ PH 3	BITFLEX	2
⊕ PZ 1	BITFLEX	2
⊕ PZ 2	BITFLEX	5
⊕ PZ 3	BITFLEX	2
● 0,8 x 5,5		1
● 1,2 x 6,5		1

**art.-no. 27787** piece

—∞	26006	1
⊕ PH 1	BITFLEX	2
⊕ PH 2	BITFLEX	3
⊕ PH 3	BITFLEX	1
⊕ PZ 1	BITFLEX	2
⊕ PZ 2	BITFLEX	3
⊕ PZ 3	BITFLEX	1
● 0,8 x 5,5		1
● 1,2 x 6,5		1
⊕ T 10	TR	1
⊕ T 15	TR	1
⊕ T 20	TR	1
⊕ T 25	TR	1
⊕ T 30	TR	1
⊕ T 40	TR	1

**art.-no. 27788** piece

—∞	26006	1
⊕ PH 1	BITFLEX	2
⊕ PH 2	BITFLEX	3
⊕ PH 3	BITFLEX	2
⊕ PZ 1	BITFLEX	2
⊕ PZ 2	BITFLEX	3
⊕ PZ 3	BITFLEX	2
⊕ T 10 TR	TR	1
⊕ T 15 TR	TR	1
⊕ T 20 TR	TR	1
⊕ T 25 TR	TR	1
⊕ T 30 TR	TR	1
⊕ T 40 TR	TR	1

## BITCAS

30 bits with holder in a sturdy, metallic-coloured steel cassette. Available with the assortments shown below. 6 cassettes in a display carton.



## BITFLEX TIN

art.-no. 27953

piece

	26006	10
	BITFLEX TIN	15
	BITFLEX TIN	5
	BITFLEX TIN	1

## BITFLEX TIN

art.-no. 27954

piece

	26006	1
	BITFLEX TIN	4
	BITFLEX TIN	5
	BITFLEX TIN	3
	BITFLEX TIN	5
	BITFLEX TIN	5
	BITFLEX TIN	10
	BITFLEX TIN	3

## Standard

art.-no. 27950

piece

	26006	1
	PZ 1	10
	PZ 2	15
	PZ 3	5

## Torx TR

art.-no. 27951

piece


	26006	1
	T 10 TR	5
	T 15 TR	5
	T 20 TR	7
	T 25 TR	8
	T 30 TR	5

## Mixed assortment

art.-no. 27952


piece

	26006	1
	PH 2	5
	PZ 1	3
	PZ 2	5
	PZ 3	3
	T 10 TR	3
	T 15 TR	3
	T 20 TR	3
	T 25 TR	5



= 6 cassettes

# Blister carded programme of bits and holders



art.-no.	piece	
26795	1	⊕ PH 1 BITFLEX TIN
26796	1	⊕ PH 2 BITFLEX TIN
26797	1	⊕ PH 3 BITFLEX TIN
26771	2	⊕ PH 1 BITFLEX
26772	2	⊕ PH 2 BITFLEX
26773	2	⊕ PH 3 BITFLEX
26774	2	⊕ PH 1 & PH 2 BITFLEX
26720	2	⊕ PH 1
26721	2	⊕ PH 2
26722	2	⊕ PH 3
26723	1	⊕ PH 4
26780	2	⊕ PH 1 & PH 2
26825	1	⊕ PZ 1 BITFLEX TIN
26826	1	⊕ PZ 2 BITFLEX TIN
26827	1	⊕ PZ 3 BITFLEX TIN
26801	2	⊕ PZ 1 BITFLEX
26802	2	⊕ PZ 2 BITFLEX
26803	2	⊕ PZ 3 BITFLEX
26804	2	⊕ PZ 1 & PZ 2 BITFLEX
26716	2	⊕ PZ 1
26717	2	⊕ PZ 2
26718	2	⊕ PZ 3
26719	1	⊕ PZ 4

art.-no.	piece	
26781	2	⊕ PZ 1 & PZ 2
26725	2	⊖ 0,6 x 4,5
26726	2	⊖ 0,8 x 5,5
26728	2	⊖ 1,2 x 6,5
26729	1	⊖ 1,6 x 8,0
26730	1	⊖ 1,6 x 9,0
26742	2	⊖ 0,6 x 4,5 & 0,8 x 5,5
26743	2	⊖ 0,8 x 5,5 & 1,2 x 6,5
26805	2	⊖ T 5
26806	2	⊖ T 6
26807	2	⊖ T 7
26808	2	⊖ T 8
26809	2	⊖ T 9
26810	2	⊖ T 10
26811	2	⊖ T 15
26812	2	⊖ T 20
26813	2	⊖ T 25
26817	2	⊖ T 27
26814	2	⊖ T 30
26815	2	⊖ T 40
26703	1	⊖∞ 26006
26704	1	⊖∞ 26294

# Blister carded programme of bits and holders

art.-no. piece

<b>26713</b>							
1							26006
1			+	PH 1			
1			+	PH 2			
1			+	PZ 1			
1			+	PZ 2			
1			●●	0,5 x 4,0			
1			●●	0,8 x 5,5			
1			●●	1,2 x 6,5			

art.-no. piece

<b>26733</b>							
1	double ended	+	PH 1	+	PZ 1		
1	double ended	+	PH 2	+	PZ 2		
1	double ended	+	PH 3	+	PZ 3		

art.-no. piece

<b>26731</b>							
1	double ended	○	PZ 1	●	0,6 x 4,5		
1	double ended	○	PZ 2	●	0,8 x 5,5		
1	double ended	○	PZ 3	●	1,0 x 6,0		

art.-no. piece

<b>26732</b>							
1	double ended	+	PH 1	●	0,6 x 4,5		
1	double ended	+	PH 2	●	0,8 x 5,5		
1	double ended	+	PH 3	●	1,0 x 6,0		

art.-no. piece

<b>26745</b>							
1	double ended	○	T 10	○	T 15		
1	double ended	○	T 20	○	T 25		
1	double ended	○	T 30	○	T 40		

## Display Stand for blister carded program

500 mm wide, 180 mm deep

Header with Supplementary display 9 hooks

art.-no. 26756

Supplementary display 9 hooks

art.-no. 26757

Supplementary display 4 hooks

art.-no. 27740



# Bits and holder programme on tear-off card

## 10 bits on tear-off card

The tear-off card system offers the professional user a tidy, easily identifiable way of keeping bits in the tool bag. The display gives a clear presentation of the bit programme.



## Display Stand for tear-off card program

500 mm wide, 180 mm deep exemplary assortment

Header with Supplementary display 7 hooks

**art.-no. 318000**

Supplementary display 7 hooks

**art.-no. 318010**



drive 1/4"



**25 mm**

**art.-no.** piece

328421	10	⊕	PH 1	BITFLEX TIN
328422	10	⊕	PH 2	BITFLEX TIN
328423	10	⊕	PH 3	BITFLEX TIN
328021	10	⊕	PH 1	BITFLEX
328022	10	⊕	PH 2	BITFLEX
328023	10	⊕	PH 3	BITFLEX
327020	10	⊕	PH 1	
327021	10	⊕	PH 2	
327022	10	⊕	PH 3	
328445	10	⊕	PZ 1	BITFLEX TIN
328446	10	⊕	PZ 2	BITFLEX TIN
328447	10	⊕	PZ 3	BITFLEX TIN
328045	10	⊕	PZ 1	BITFLEX
328046	10	⊕	PZ 2	BITFLEX
328047	10	⊕	PZ 3	BITFLEX
327045	10	⊕	PZ 1	
327046	10	⊕	PZ 2	
327047	10	⊕	PZ 3	
326411	10		0,6 x 4,5	
326412	10		0,8 x 5,5	
326414	10		1,2 x 6,5	
329460	10		T 5	
329490	10		T 6	
329495	10		T 7	
329501	10		T 8	
329502	10		T 9	
329503	10		T 10	
329504	10		T 15	
329505	10		T 20	
329506	10		T 25	
329507	10		T 27	
329508	10		T 30	
329509	10		T 40	

drive 1/4"



**E6,3 DIN3126**

**50 mm**

**art.-no.** piece

327551	10	⊕	PH 1	TIN
327552	10	⊕	PH 2	TIN
327553	10	⊕	PH 3	TIN
327520	10	⊕	PH 1	
327521	10	⊕	PH 2	
327522	10	⊕	PH 3	
327541	10	⊕	PZ 1	TIN
327542	10	⊕	PZ 2	TIN
327543	10	⊕	PZ 3	TIN
327545	10	⊕	PZ 1	
327546	10	⊕	PZ 2	
327547	10	⊕	PZ 3	
329603	10	⊕	T 10	
329604	10	⊕	T 15	
329605	10	⊕	T 20	
329606	10	⊕	T 25	
329607	10	⊕	T 27	
329608	10	⊕	T 30	
329609	10	⊕	T 40	
326006	2			26006



# Bits and holder programme on tear-off card



## drive 1/4" 25 mm

art.-no.	piece
428421	15
428422	15
428423	10
428021	25
428022	25
428023	15
427020	25
427021	25
427022	15
428445	15
428446	15
428447	10
428045	25
428046	25
428047	15
427045	25
427046	25
427047	15
426411	25
426412	25
426414	25
429460	5
429490	5
429495	5
429501	5
429502	5
429503	5
429504	5
429505	5
429506	5
429507	5
429508	5
429509	5

## drive 1/4" E6,3 DIN3126 50 mm

art.-no.	piece
427551	5
427552	5
427553	5
427520	10
427521	10
427522	10
427541	5
427542	5
427543	5
427545	10
427546	10
427547	10
427511	10
427512	10
427514	10
429603	5
429604	5
429605	5
429606	5
429607	5
429608	5
429609	5
426006	1

## display stand for plastic boxes

500 mm wide, 180 mm deep  
exemplary assortment

Header with Supplementary display 9  
hooks

**art.-no. 26756**

Supplementary display 9

**art.-no. 26757**



# Tool selector

Selector of WITTE slot-screwdrivers for slotted screws			full diameter of thread												
	flat head screws			oval head screws			fillister head		pan head screws			semi-circular		set screws	
	metric ISO 2009	sheet ISO 1482	wood DIN 97	metric ISO 2010	sheet ISO 1483	wood DIN 95	metric ISO 1207	ISO 1580	metric DIN 920	DIN 921	sheet ISO 1481	wood DIN 96	DIN EN 24766 27435	DIN 427	
0,4 x 2			1,6			1,6						1,6	3	2,5	
0,4 x 2,5	1,6		2	1,6			1,6	1,6	2,5	1,6			3,5	3	
0,5 x 3	2	2,2		2	2,2	2	2	2	3		2,2	2		3,5	
0,5 x 4*)									3,5	2				4	
0,6 x 3,5	2,5		2,5	2,5		2,5	2,5					2,5		4	
0,6 x 4,5*)								2,5	4	2,5			5		
0,8 x 4	3	2,9	3 3,5	3	2,9	3 3,5	3	3			2,9	3	6	5	
0,8 x 5,5*)									5	3 3,5		3,5			
1 x 5,5	3,5	3,5	4 4,5	3,5	3,5	4 4,5	3,5	3,5	6	4	3,5	4 4,5	8	6	
1,2 x 6,5	4 5	4,2 4,8	5 5,5	4 5	4,2 4,8	5	4	4			4,2			8	
1,2 x 8						5,5	5	5	8	5	4,8	5 5,5			
1,6 x 8	6	5,5 6,3	6 7	6	5,5 6,3	6 7	6					6	10 12	10	
1,6 x 10				8			8		6	10	6	5,5 6,3	7		
2 x 12	8	8	10	8	8		8	8		8	8	8		14	
2,5 x 14	10	9,5		10	9,5		10	10		10	9,5			16 18 20	

only for machine-screwdrivers

Selector of WITTE screwdrivers for recessed screws for recessed screws for Phillips-Recess		metric DIN 965								sheet metal screws DIN 7985								wood screws DIN 7981							
		ISO 8764		DIN 965		DIN 966		DIN 7985		DIN 7981		DIN 7982		DIN 7995		DIN 7996		DIN 7997							
size 0	1,6	1,6	1,6	2,2	2,2			2																	
	2	2	1,8																						
size 1	2,5	2,5	2	2,9	2,9	2,5	2,5	2,5	2,5																
	3	3	2,5			3	3	3	3																
size 2	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5																
	4	4	4	4,2	4,2	4	4	4	4																
	5	5	5	4,8	4,8	4,5	4,5	4,5	4,5																
size 3	6	6	6	5,5	5,5	5,5	5,5	5,5	5,5																
				6,3	6,3	6	6	6	6																
size 4	8	8	8	8	8	8	8	8	8																
	10	10	10	9,5	9,5																				

Selector of WITTE screwdrivers for recessed screws for recessed screws Supadriv/POZIDRIV		metric DIN 965								sheet metal screws DIN 7985								wood screws DIN 7981							
		ISO 8764		DIN 965		DIN 966		DIN 7985		DIN 7981		DIN 7982		DIN 7995		DIN 7996		DIN 7997							
size 0	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	2,2	2,2	2							
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1,8									
size 1	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5						
	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3						
size 2	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	4	4	4						
	4	4	4	4,2	4,2	4	4	4	4	4	4	4	4	4	4	4	4,2	4,2	4						
size 3	5	5	5	4,8	4,8	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	5	5	5						
	6	6	6	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5	6	6	6						
size 4	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8						
	10	10	10	9,5	9,5												10	10	10						

Torx is the registered trademark of Camcar/Textron Inc. Rockford / Illinois USA. WITTE is an authorized licensee for Torx-tools.


# Tool selector

Selector of WITTE screwdrivers for screws with <b>Hexagon head</b>		metric screws							set screws			Selector of WITTE screwdrivers for screws with <b>Hexagon insert</b>		metric screws				sheet metal		wood screws	
SW		DIN 908	*DIN 912	DIN 7984	DIN 7991	*DIN 913 916	*DIN 914	*DIN 915				SW		DIN 931	DIN 933	DIN 7976	DIN 571				
1,5			1,6						3	3	3			3,5							
			2						4	4	4			4	2	2					
2			2,5	3	3	4	5	5						4,5							
2,5			3	4	4	5	5	5						5	2,5	2,5		2,9			
3			4	5	5	6	6	6													
4			5	6	6	8	8	8						5,5	3	3		3,5			
5		10	6	8	8	10	10	10						6	3,5	3,5					
6		12	8		10	12	12	12						7	4	4	4	3,9			
						14	14	14											4,2		
8		16/18	10	12	12	16	16	16						8	5	5	5	4,8			
10		20/22	12	14	14	18	18	18						9					5,5		
					16	20	20	20													
12		24	14	16	18	22	22	22						10	6	6	6	6,3			
		26		18	20	24	24	24						11	7	7					
														12				7			
														13	8	8	8	8			
														14							

Selector of WITTE screwdrivers for screws with <b>Hexagon Torx</b>		metric screws							sheet metal screws			Selector of WITTE screwdrivers for screws with <b>Torx external</b>		metric screws			
Torx-size		DIN 912	DIN 965	DIN 966	DIN 7984 6912	DIN 7985	DIN 7991	DIN 7981	DIN 7982	DIN 7983		Torx-size		DIN 931	DIN 6921		
T 5	1,42	1,4/1,6	1,8		1,4/1,6	1,4/1,6	*	*	*	*		E 4		3			
T 6	1,70	1,3/2	2	*	1,3/2	1,3/2	*	*	*	*		E 5		4			
T 7	1,99	*	*	*	*	*	*	*	*	*		E 6		5	4		
T 8	2,31	2,5	2,5	2,5	2,5	2,5		2,9	2,9	2,9		E 7	**	**			
T 9	2,50							2,9				E 8		6	5		
T 10	2,74	3	3	3	3	3	3	3,5	3,5	3,5		E 10		8	6		
T 15	3,27	3,5	3,5	3,5	3,5	3,5		3,9	3,9	3,9		E 12		10	8		
T 20	3,86		4	4		4	4	4,2	4,2	4,2		E 14		12	10		
T 25	4,43	4	5	5	4	5	5	4,8 5,5	4,8 5,5	4,8 5,5		E 16	**	**			
T 27	4,99	4,3/5	**	**	4,3/5	**	**	**	**	**		E 18		14	12		
T 30	5,52	6	6	6	6	6	6	6,3	6,3	6,3			DIN 933				
T 40	6,65	8	8	8	8	8	8	8	8				ISO 4014 4017				
T 45	7,82	**	**	**	**	**	**	**	**	**							
T 50	8,83	10	10	10	10	10	10	10									
T 55	11,22	12			12			12									
T 60	13,25	14			14												

\*special screws M 1,6-2,0 for hard metal turnover board

\*\*special screws



**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Automotive GmbH & Co. KG  
Stefanstraße 2  
58638 Iserlohn  
DEUTSCHLAND  
Telefon: +49 2371 820-0  
Telefax: +49 2371 820-222  
e-mail: automotive@kirchhoff-gruppe.de

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Witte GmbH & Co. KG  
Hegestück 40  
58638 Iserlohn  
DEUTSCHLAND  
Telefon: +49 2371 211-0  
Telefax: +49 2371 211-212  
e-mail: iserlohn@kirchhoff-gruppe.de

**WITTE**  
WERKZEUGE  
Kirchhoff Witte GmbH & Co. KG  
Feldmühlenstraße 51  
58093 Hagen  
DEUTSCHLAND  
Telefon: +49 2331 3607-0  
Telefax: +49 2331 3607-24  
e-mail: info@witte-werkzeuge.de

**FAUN**  
KIRCHHOFF GRUPE  
Faun Umwelttechnik GmbH & Co.  
Stefanstraße 2  
58638 Iserlohn  
DEUTSCHLAND  
Telefon: +49 2371 8293-00  
Telefax: +49 2371 8293-09  
e-mail: faun@faun.com

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Kutsch GmbH  
Am Eckenbach 10-14  
57439 Attendorn  
DEUTSCHLAND  
Telefon: +49 2722 696-0  
Telefax: +49 2722 696-219  
e-mail: attendorn@kirchhoff-gruppe.de

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Kutsch GmbH  
Werk Günthersleben  
Ebsdorfergrundstraße 4  
99869 Günthersleben  
DEUTSCHLAND  
Telefon: +49 36256 86832  
Telefax: +49 36256 86833  
e-mail: w.buege@kirchhoff-gruppe.de

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Kutsch GmbH  
Werk Saarlouis  
Werner-von-Siemens-Str. 35  
66793 Saarwellingen  
DEUTSCHLAND  
Telefon: +49 6838 9811-105  
Telefax: +49 6838 9811-205  
e-mail: saarlouis@kirchhoff-gruppe.de

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Ireland Ltd.  
Lisnennan  
Letterkenny Co. Donegal  
IRLAND  
Telefon: +353 74 912422  
Telefax: +353 74 9124932  
e-mail: mail@kirchhoff.ie

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Polska Sp. z o.o.  
ul. Wojska Polskiego 3  
39-300 Mielec  
POLEN  
Telefon: +48 17 7885600  
Telefax: +48 17 7885640  
e-mail: kirchhoff@ptc.pl

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Hungaria Kft.  
H - 1074 Budapest  
Rákóczi ut 70 -72  
UNGARN

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Portugal - Gametal S.A.  
Faria de Cima  
3721-908 Cucujães  
PORTUGAL  
Telefon: +351 256 886100  
Telefax: +351 256 886136  
e-mail: gametal@gametal.pt

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Portugal - Gametal S.A.  
Av. 16 de Maio  
Zona Industrial - Norte de Ovar  
3880 Ovar  
PORTUGAL  
Telefon: +351 256 579210  
Telefax: +351 256 579224  
e-mail: gametal@gametal.pt

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff Mexicana S.A. de C.V.  
Camino a San Lorenzo 1202 C  
Sanctorum, Cuautlancingo  
72730 Cholula/Puebla  
MEXIKO  
Telefon: +52 222 2664493  
Telefax: +52 222 2664491  
e-mail: plantapue@kirchhoff.com.mx

**KIRCHHOFF**  
AUTOMOTIVE  
VRK AUTOMOTIVE SYSTEMS DE  
MÉXICO, S.A. DE C.V.  
Av. de la Noria No. 111  
Parque Industrial Querétaro  
76220 Santa Rosa Jáuregui/Querétaro  
MEXIKO  
Telefon: +52 442 2113900  
Telefax: +52 442 2161380

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff do Brasil, Ltda.  
Rua Dr. Armando F.S. Caiuby  
250 - Apto. 141-b  
05640-020 São Paulo, SP  
BRASILIEN  
Telefon: +55 11 92253537  
Telefax: +55 11 2462774  
e-mail: kirchhoffbrasil@aol.com

**KIRCHHOFF**  
AUTOMOTIVE  
Kirchhoff España, S.L.U.  
Ctra. Zaragoza a Logroño, Km 28  
Polígono Industrial N° 6  
50639 Figueruelas (Zaragoza)  
SPANIEN  
Telefon: +34 976 655330  
Telefax: +34 976 655014  
e-mail: kirchhoff@cepymearagon.es