



# **PROTOP® II**



*Made in Germany*

# PROTOP® II

## The professional one has a successor



WITTE Werkzeuge's new PROTOP II line optimises the quality of the already accepted PROTOP screwdrivers with the integration of the latest ergonomic knowledge.

The concept of the PROTOP II handle is based on the 3 handle zones:

- The rounded triangle shape in the upper handle zone gives an improved transmission of force.
- The round cross section in the middle zone combines maximum grip with easy turning.
- The extended multifunction zone in the lower handle enables quick screw driving.

The three handle zones make up the curved longitudinal outline and optimise the application of force. The combination of three high quality plastic components enables comfortable screw driving.



 **WITTE**  
WERKZEUGE



# PROTOP II

Identification of screw types

Soft component

Multifunctional zone

Anti roll prevention

Finest special high alloy steel


Permanently marked blades



**PROTOP II**  
Universal Premium



**PROTOP II plus**  
For working in oily or wet conditions





**PROTOP II impact**  
With impact cap for use  
under extreme conditions



**PROTOP II VDE**  
For professionals in the  
electrical engineering  
and electronic trades



DIN EN  
IEC 60900  
1000 V C







# PROTOP<sup>®</sup> II



## 87200 Engineer's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	mm	mm
87201	0,6 x 3,5	75	3,5	105 x 25
87202	0,6 x 3,5	100	3,5	105 x 25
87203	0,8 x 4,0	75	4,0	105 x 25
87204	0,8 x 4,0	100	4,0	105 x 25
87205	1,0 x 5,5	100	5,0	115 x 34
87206	1,0 x 5,5	125	5,0	115 x 34
87207	1,2 x 6,5	125	6,0	115 x 34
87208	1,2 x 6,5	150	6,0	115 x 34
87209	1,2 x 8,0	150	7,0	125 x 37
87210	1,6 x 8,0	175	7,0	125 x 37
87211	1,6 x 10,0	200	8,0	125 x 37

## 70800 Engineer's Screwdriver

To DIN 5264 and ISO 2380 with hexagon bolster to DIN 475 standards



art.-no.	mm	mm	mm	mm	mm
70801	1,0 x 5,5	100	8	5,5	115 x 34
70802	1,2 x 6,5	125	10	6,0	115 x 34
70803	1,2 x 8,0	150	13	8,0	125 x 37
70804	1,6 x 10,0	175	13	8,0	125 x 37

## 86790 Electrician's Screwdriver

To DIN 5264 and ISO 2380 standards



art.-no.	mm	mm	mm	mm
86791	0,5 x 3,0	75	3,0	105 x 25
86792	0,6 x 3,5	100	3,5	105 x 25
86793	0,8 x 4,0	125	4,0	105 x 25
86794	0,6 x 4,0	300	4,0	105 x 25
86795	1,0 x 5,5	150	5,5	115 x 34
86796	1,0 x 5,5	200	5,5	115 x 34
86797	1,0 x 5,5	300	5,5	115 x 34



### 94800 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws

art.-no.	+	mm	mm	mm	
				mm	mm
94801	PH 0	60	3,0	105	25
94802	PH 1	80	4,5	105	25
94803	PH 1	300	4,5	105	25
94804	PH 2	100	6,0	115	34
94805	PH 2	300	6,0	115	34
94806	PH 3	150	8,0	125	37
94807	PH 4	200	10,0	125	37

### 99600 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws

art.-no.	+	mm	mm	mm	
				mm	mm
99601	PZ 0	60	3,0	105	25
99602	PZ 1	80	4,5	105	25
99603	PZ 1	300	4,5	105	25
99604	PZ 2	100	6,0	115	34
99605	PZ 2	300	6,0	115	34
99606	PZ 3	150	8,0	125	37
99607	PZ 4	200	10,0	125	37

### 95400 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, with hexagon bolster to DIN 475 standards

art.-no.	+	mm	mm	mm	mm
95402	PH 2	100	10	6,0	115 x 34
95403	PH 3	150	13	8,0	125 x 37

### 99800 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws, with hexagon bolster to DIN 475 standards

art.-no.	+	mm	mm	mm	mm
99802	PZ 2	100	10	6,0	115 x 34
99803	PZ 3	150	13	8,0	125 x 37





# PROTOP II



## 98900 Torx Screwdriver





art.-no.				
	mm	mm	mm	
98901	T 5	60	3,0	105 x 25
98902	T 6	60	3,0	105 x 25
98903	T 7	60	3,0	105 x 25
98904	T 8	60	3,0	105 x 25
98905	T 9	60	3,0	105 x 25
98906	T 10	80	3,5	105 x 25
98907	T 15	80	3,5	105 x 25
98908	T 20	100	4,5	105 x 25
98909	T 25	100	4,5	105 x 25
98910	T 27	115	6,0	115 x 34
98911	T 30	115	6,0	115 x 34
98912	T 40	115	7,0	125 x 37
98913	T 45	130	8,0	125 x 37

## 99300 Torx Screwdriver

For Tamper proof resistant TORX screws

art.-no.				
	mm	mm	mm	
99303	T 7 TR	60	3,0	105 x 25
99304	T 8 TR	60	3,0	105 x 25
99305	T 9 TR	60	3,0	105 x 25
99306	T 10 TR	80	3,5	105 x 25
99307	T 15 TR	80	3,5	105 x 25
99308	T 20 TR	100	4,5	105 x 25
99309	T 25 TR	100	4,5	105 x 25
99310	T 27 TR	115	6,0	115 x 34
99311	T 30 TR	115	6,0	115 x 34
99312	T 40 TR	115	7,0	125 x 37
99313	T 45 TR	130	8,0	125 x 37

## 93000 Square Drive Screwdriver

art.-no.				
	mm	mm	mm	
93001	1	100	4,5	105 x 25
93002	2	125	5,0	115 x 34
93003	3	150	6,0	115 x 34





### 98700 Nutdriver



art.-no.	mm	mm	mm
98701	3,5	125	105 x 25
98702	4,0	125	105 x 25
98703	4,5	125	105 x 25
98704	5,0	125	105 x 25
98705	5,5	125	105 x 25
98706	6,0	125	115 x 34
98707	7,0	125	115 x 34
98708	8,0	125	115 x 34
98709	9,0	125	115 x 34
98710	10,0	125	115 x 34
98711	11,0	125	125 x 37
98712	12,0	125	125 x 37
98713	13,0	125	125 x 37
98714	14,0	125	125 x 37
98715	17,0	125	125 x 37

### 98800 Nutdriver

With flexible shaft



art.-no.	mm	mm	mm
98801	5,0	200	115 x 34
98802	5,5	200	115 x 34
98803	6,0	200	115 x 34
98804	7,0	200	115 x 34
98805	8,0	200	115 x 34
98806	10,0	200	115 x 34
98807	1/4"	200	115 x 34

### 26375 Magnetic Bit Holder

Has shaft 150 mm long and magnetic 1/4" adapter










art.-no.	mm	mm	mm
26375	1/4"	150	115 x 34










**PROTOP® II**








**670030 Screwdriver Assortments  
(6 pieces)**

			
art.-no.		mm	
 87205	1,0 x 5,5	100	
 87207	1,2 x 6,5	125	
 94802	PH 1	80	
 94804	PH 2	100	
 99602	PZ 1	80	
 99604	PZ 2	100	








**670033 Screwdriver Assortments  
(6 pieces)**

			
art.-no.		mm	
 87203	0,8 x 4,0	75	
 87205	1,0 x 5,5	100	
 87207	1,2 x 6,5	125	
 87209	1,2 x 8,0	150	
 94802	PH 1	80	
 94804	PH 2	100	








**670031 Screwdriver Assortments  
(6 pieces)**

			
art.-no.		mm	
 86791	0,5 x 3,0	75	
 87204	0,8 x 4,0	100	
 87206	1,0 x 5,5	125	
 87208	1,2 x 6,5	150	
 94802	PH 1	80	
 94804	PH 2	100	









**670034 Screwdriver Assortments  
(6 pieces)**

			
art.-no.		mm	
 87203	0,8 x 4,0	75	
 87205	1,0 x 5,5	100	
 87207	1,2 x 6,5	125	
 87209	1,2 x 8,0	150	
 99602	PZ 1	80	
 99604	PZ 2	100	

**670032 Screwdriver Assortments  
(6 pieces)**

			
art.-no.		mm	
 86791	0,5 x 3,0	75	
 87204	0,8 x 4,0	100	
 87206	1,0 x 5,5	125	
 87208	1,2 x 6,5	150	
 99602	PZ 1	80	
 99604	PZ 2	100	

**670035 Screwdriver Assortments  
(6 pieces)**

				
art.-no.		mm		
 87203	0,8 x 4,0	75	-	
 70801	1,0 x 5,5	100	8	
 70802	1,2 x 6,5	125	10	
 70803	1,2 x 8,0	150	13	
 94802	PH 1	80	-	
 94804	PH 2	100	-	





670036 Screwdriver Assortments  
(6 pieces)



art.-no.		mm	
87203	0,8 x 4,0	75	-
70801	1,0 x 5,5	100	8
70802	1,2 x 6,5	125	10
70803	1,2 x 8,0	150	13
99602	PZ 1	80	-
99604	PZ 2	100	-

670037 Screwdriver Assortments  
(6 pieces)



art.-no.		mm
98906	T 10	80
98907	T 15	80
98908	T 20	100
98909	T 25	100
98911	T 30	115
98912	T 40	115

670039 Screwdriver Assortments  
(5 pieces)



art.-no.		mm
87203	0,8 x 4,0	75
87205	1,0 x 5,5	100
87207	1,2 x 6,5	125
94802	PH 1	80
94804	PH 2	100

670038 Screwdriver Assortments  
(6 pieces)



art.-no.		mm
99306	T 10 TR	80
99307	T 15 TR	80
99308	T 20 TR	100
99309	T 25 TR	100
99311	T 30 TR	115
99312	T 40 TR	115

670040 Screwdriver Assortments  
(5 pieces)



art.-no.		mm
87203	0,8 x 4,0	75
87205	1,0 x 5,5	100
87207	1,2 x 6,5	125
99602	PZ 1	80
99604	PZ 2	100





# PROTOP<sup>®</sup> II plus

with anti-slip micro fibre surface

## 87300 Engineer's Screwdriver

To DIN 5264 and ISO 2380 standards

art.-no.	mm	mm	mm	mm
87301	0,6 x 3,5	75	3,5	105 x 25
87302	0,6 x 3,5	100	3,5	105 x 25
87303	0,8 x 4,0	75	4,0	105 x 25
87304	0,8 x 4,0	100	4,0	105 x 25
87305	1,0 x 5,5	100	5,0	115 x 34
87306	1,0 x 5,5	125	5,0	115 x 34
87307	1,2 x 6,5	125	6,0	115 x 34
87308	1,2 x 6,5	150	6,0	115 x 34
87309	1,2 x 8,0	150	7,0	125 x 37
87310	1,6 x 8,0	175	7,0	125 x 37
87311	1,6 x 10,0	200	8,0	125 x 37

## 70900 Engineer's Screwdriver

To DIN 5264 and ISO 2380 with hexagon bolster to DIN 475 standards

art.-no.	mm	mm	mm	mm	mm
70901	1,0 x 5,5	100	8	5,5	115 x 34
70902	1,2 x 6,5	125	10	6,0	115 x 34
70903	1,2 x 8,0	150	13	8,0	125 x 37
70904	1,6 x 10,0	175	13	8,0	125 x 37

## 86890 Electrician's Screwdriver

To DIN 5264 and ISO 2380 standards


art.-no.	mm	mm	mm	mm
86891	0,5 x 3,0	75	3,0	105 x 25
86892	0,6 x 3,5	100	3,5	105 x 25
86893	0,8 x 4,0	125	4,0	105 x 25
86894	0,6 x 4,0	300	4,0	105 x 25
86895	1,0 x 5,5	150	5,5	115 x 34
86896	1,0 x 5,5	200	5,5	115 x 34
86897	1,0 x 5,5	300	5,5	115 x 34









### 94900 Phillips Screwdriver


To ISO 8764 for PHILLIPS-RECESS screws







art.-no.		 mm	 mm	 mm
94901	PH 0	60	3,0	105 x 25
94902	PH 1	80	4,5	105 x 25
94903	PH 1	300	4,5	105 x 25
94904	PH 2	100	6,0	115 x 34
94905	PH 2	300	6,0	115 x 34
94906	PH 3	150	8,0	125 x 37
94907	PH 4	200	10,0	125 x 37

### 99700 Crosspoint Screwdriver


To ISO 8764 for POZIDRIV screws








art.-no.		 mm	 mm	 mm
99701	PZ 0	60	3,0	105 x 25
99702	PZ 1	80	4,5	105 x 25
99703	PZ 1	300	4,5	105 x 25
99704	PZ 2	100	6,0	115 x 34
99705	PZ 2	300	6,0	115 x 34
99706	PZ 3	150	8,0	125 x 37
99707	PZ 4	200	10,0	125 x 37

### 98400 Phillips Screwdriver


To ISO 8764 for PHILLIPS-RECESS screws, with hexagon bolster to DIN 475 standards








art.-no.		 mm	 mm	 mm	 mm
98401	PH 1	80	6	4,5	105 x 25
98402	PH 2	100	10	6,0	115 x 34
98403	PH 3	150	13	8,0	125 x 37

### 99900 Crosspoint Screwdriver

To ISO 8764 for POZIDRIV screws, with hexagon bolster to DIN 475 standards







art.-no.		 mm	 mm	 mm	 mm
99901	PZ 1	80	6	4,5	105 x 25
99902	PZ 2	100	10	6,0	115 x 34
99903	PZ 3	150	13	8,0	125 x 37



# PROTOTOP<sup>®</sup> II plus





with anti-slip micro fibre surface

## 99000 Torx Screwdriver

art.-no.				
	mm	mm	mm	
99001	T 5	60	3,0	105 x 25
99002	T 6	60	3,0	105 x 25
99003	T 7	60	3,0	105 x 25
99004	T 8	60	3,0	105 x 25
99005	T 9	60	3,0	105 x 25
99006	T 10	80	3,5	105 x 25
99007	T 15	80	3,5	105 x 25
99008	T 20	100	4,5	105 x 25
99009	T 25	100	4,5	105 x 25
99010	T 27	115	6,0	115 x 34
99011	T 30	115	6,0	115 x 34
99012	T 40	115	7,0	125 x 37
99013	T 45	130	8,0	125 x 37

## 99400 Torx Screwdriver



For Tamper proof resistant TORX screws

art.-no.				
	mm	mm	mm	
99403	T 7 TR	60	3,0	105 x 25
99404	T 8 TR	60	3,0	105 x 25
99405	T 9 TR	60	3,0	105 x 25
99406	T 10 TR	80	3,5	105 x 25
99407	T 15 TR	80	3,5	105 x 25
99408	T 20 TR	100	4,5	105 x 25
99409	T 25 TR	100	4,5	105 x 25
99410	T 27 TR	115	6,0	115 x 34
99411	T 30 TR	115	6,0	115 x 34
99412	T 40 TR	115	7,0	125 x 37
99413	T 45 TR	130	8,0	125 x 37





### 93100 Square Drive Screwdriver

art.-no.	mm	mm	mm
93101	1	100	105 x 25
93102	2	125	115 x 34
93103	3	150	115 x 34



### 99500 Nutdriver




art.-no.	mm	mm
99501	3,5	105 x 25
99502	4,0	105 x 25
99503	4,5	105 x 25
99504	5,0	105 x 25
99505	5,5	105 x 25
99506	6,0	115 x 34
99507	7,0	115 x 34
99508	8,0	115 x 34
99509	9,0	115 x 34
99510	10,0	115 x 34
99511	11,0	125 x 37
99512	12,0	125 x 37
99513	13,0	125 x 37
99514	14,0	125 x 37
99515	17,0	125 x 37

### 99100 Nutdriver



With flexible shaft

art.-no.	mm	mm
99101	5,0	115 x 34
99102	5,5	115 x 34
99103	6,0	115 x 34
99104	7,0	115 x 34
99105	8,0	115 x 34
99106	10,0	115 x 34
99107	1/4"	115 x 34


### 26385 Magnetic Bit Holder

Has shaft 150 mm long and magnetic 1/4" adapter

art.-no.	mm	mm
26385	150	115 x 34





# PROTOP® II plus

with anti-slip micro fibre surface

## 670060 Screwdriver Assortments (6 pieces)

	art.-no.		mm
	87305	1,0 x 5,5	100
	87307	1,2 x 6,5	125
	94902	PH 1	80
	94904	PH 2	100
	99702	PZ 1	80
	99704	PZ 2	100

## 670063 Screwdriver Assortments (6 pieces)

	art.-no.		mm
	87303	0,8 x 4,0	75
	87305	1,0 x 5,5	100
	87307	1,2 x 6,5	125
	87309	1,2 x 8,0	150
	94902	PH 1	80
	94904	PH 2	100

## 670061 Screwdriver Assortments (6 pieces)

	art.-no.		mm
	86891	0,5 x 3,0	75
	87304	0,8 x 4,0	100
	87306	1,0 x 5,5	125
	87308	1,2 x 6,5	150
	94902	PH 1	80
	94904	PH 2	100

## 670064 Screwdriver Assortments (6 pieces)

	art.-no.		mm
	87303	0,8 x 4,0	75
	87305	1,0 x 5,5	100
	87307	1,2 x 6,5	125
	87309	1,2 x 8,0	150
	99702	PZ 1	80
	99704	PZ 2	100

## 670062 Screwdriver Assortments (6 pieces)

	art.-no.		mm
	86891	0,5 x 3,0	75
	87304	0,8 x 4,0	100
	87306	1,0 x 5,5	125
	87308	1,2 x 6,5	150
	99702	PZ 1	80
	99704	PZ 2	100

## 670065 Screwdriver Assortments (6 pieces)

	art.-no.		mm	
	87303	0,8 x 4,0	75	-
	70901	1,0 x 5,5	100	8
	70902	1,2 x 6,5	125	10
	70903	1,2 x 8,0	150	13
	94902	PH 1	80	-
	94904	PH 2	100	-





670066 Screwdriver Assortments  
(6 pieces)



art.-no.		mm	
87303	0,8 x 4,0	75	-
70901	1,0 x 5,5	100	8
70902	1,2 x 6,5	125	10
70903	1,2 x 8,0	150	13
99702	PZ 1	80	-
99704	PZ 2	100	-

670067 Screwdriver Assortments  
(6 pieces)



art.-no.		mm
99006	T 10	80
99007	T 15	80
99008	T 20	100
99009	T 25	100
99011	T 30	115
99012	T 40	115

670068 Screwdriver Assortments  
(6 pieces)



art.-no.		mm
99406	T 10 TR	80
99407	T 15 TR	80
99408	T 20 TR	100
99409	T 25 TR	100
99411	T 30 TR	115
99412	T 40 TR	115

670069 Screwdriver Assortments  
(5 pieces)



art.-no.		mm
87303	0,8 x 4,0	75
87305	1,0 x 5,5	100
87307	1,2 x 6,5	125
94902	PH 1	80
94904	PH 2	100

670070 Screwdriver Assortments  
(5 pieces)



art.-no.		mm
87303	0,8 x 4,0	75
87305	1,0 x 5,5	100
87307	1,2 x 6,5	125
99702	PZ 1	80
99704	PZ 2	100



# PROTOP<sup>®</sup> II *impact*

with metal impact cap

## 83800 Engineer's Screwdriver


To DIN 5264 and ISO 2380, with hexagon bolster to DIN 475 standards



art.-no.	mm	mm	mm	mm	mm
83801	0,6 x 3,5	75	6	4,5	105 x 25
83802	0,8 x 4,0	90	6	4,5	105 x 25
86803	1,0 x 5,5	100	8	6,0	115 x 34
83804	1,2 x 6,5	125	10	7,0	115 x 34
83805	1,2 x 8,0	150	13	8,0	125 x 37
83806	1,6 x 10,0	175	13	9,0	125 x 37

## 84000 Crosspoint Screwdriver


To ISO 8764 for POZIDRIV screws, with hexagon bolster to DIN 475 standards



art.-no.	mm	mm	mm	mm	
84001	PZ 1	85	6	4,5	105 x 25
84002	PZ 2	100	10	6,0	115 x 34
84003	PZ 3	150	13	8,0	125 x 37

## 83900 Phillips Screwdriver

To ISO 8764 for PHILLIPS-RECESS screws, with hexagon bolster to DIN 475 standards



art.-no.	mm	mm	mm	mm	
83901	PH 1	85	6	4,5	105 x 25
83902	PH 2	100	10	6,0	115 x 34
86903	PH 3	150	13	8,0	125 x 37





### 670090 Screwdriver Assortments (6 pieces)

art.-no.	mm		
83801	0,6 x 3,5	75	6
83802	0,8 x 4,0	90	6
83803	1,0 x 5,5	100	8
83804	1,2 x 6,5	125	10
83901	PH 1	85	6
83902	PH 2	100	10

### 670091 Screwdriver Assortments (6 pieces)

art.-no.	mm		
83801	0,6 x 3,5	75	6
83802	0,8 x 4,0	90	6
83803	1,0 x 5,5	100	8
83804	1,2 x 6,5	125	10
84001	PZ 1	85	6
84002	PZ 2	100	10



# PROTOP II VDE

## 74050 Slotted Screwdriver

To ISO 2380

art.-no.	mm	mm	mm	mm
74051	0,4 x 2,5	75	2,5	105 x 25
74052	0,5 x 3,0	100	3,0	105 x 25
74053	0,6 x 3,5	100	3,5	105 x 25
74054	0,8 x 4,0	100	4,0	105 x 25
74055	1,0 x 5,5	125	5,5	115 x 34
74056	1,2 x 6,5	150	6,5	115 x 34
74057	1,2 x 8,0	175	8,0	125 x 37
74058	1,6 x 10,0	200	10,0	125 x 37

## 74060 Phillips Screwdriver

For PHILLIPS-RECESS screws, blade to ISO 8764 standard

art.-no.	mm	mm	mm	
74061	PH 0	60	3,0	105 x 25
74062	PH 1	80	4,5	105 x 25
74063	PH 2	100	6,0	115 x 34
74064	PH 3	150	8,0	125 x 37
74065	PH 4	200	10,0	125 x 37

## 74070 Crosspoint Screwdriver

For POZIDRIV screws, blade to ISO 8764 standard

art.-no.	mm	mm	mm	
74071	PZ 0	60	3,0	105 x 25
74072	PZ 1	80	4,5	105 x 25
74073	PZ 2	100	6,0	115 x 34
74074	PZ 3	150	8,0	125 x 37
74075	PZ 4	200	10,0	125 x 37

## 74080 MODUL Phillips Screwdriver

art.-no.	mm	mm	mm	
74081	PH 1 / MODUL	80	4,5	105 x 25
74082	PH 2 / MODUL	100	6,0	115 x 34

## 74090 MODUL Crosspoint Screwdriver

art.-no.	mm	mm	mm	
74091	PZ 1 / MODUL	80	4,5	105 x 25
74092	PZ 2 / MODUL	100	6,0	115 x 34





670020 Screwdriver Assortments  
(7 pieces)

art.-no.		mm
74051	0,4 x 2,5	75
74054	0,8 x 4,0	100
74055	1,0 x 5,5	125
74056	1,2 x 6,5	150
74062	PH 1	80
74063	PH 2	100
24083	3,0	65

670023 Screwdriver Assortments  
(6 pieces)

art.-no.		mm
74051	0,4 x 2,5	75
74054	0,8 x 4,0	100
74055	1,0 x 5,5	125
74056	1,2 x 6,5	150
74072	PZ 1	80
74073	PZ 2	100

670021 Screwdriver Assortments  
(7 pieces)

art.-no.		mm
74051	0,4 x 2,5	75
74054	0,8 x 4,0	100
74055	1,0 x 5,5	125
74056	1,2 x 6,5	150
74072	PZ 1	80
74073	PZ 2	100
24083	3,0	65

670024 Screwdriver Assortments  
(5 pieces)

art.-no.		mm
74051	0,4 x 2,5	75
74054	0,8 x 4,0	100
74055	1,0 x 5,5	125
74062	PH 1	80
74063	PH 2	100

670022 Screwdriver Assortments  
(6 pieces)

art.-no.		mm
74051	0,4 x 2,5	75
74054	0,8 x 4,0	100
74055	1,0 x 5,5	125
74056	1,2 x 6,5	150
74062	PH 1	80
74063	PH 2	100

670025 Screwdriver Assortments  
(5 pieces)

art.-no.		mm
74051	0,4 x 2,5	75
74054	0,8 x 4,0	100
74055	1,0 x 5,5	125
74072	PZ 1	80
74073	PZ 2	100

# PROTOP® II



Display Stand without screwdrivers  
55 pieces, 490 mm wide, 335 mm deep, 350 mm high  
example assortment - for PROTOP II, PROTOP II plus,  
PROTOP II impact, PROTOP II VDE  
art.-no. 23000



Pegboard Display without screwdrivers  
55 pieces, 480 mm wide, 340 mm deep  
example assortment - for PROTOP II, PROTOP II plus,  
PROTOP II impact, PROTOP II VDE  
art.-no. 23001





Display for shelf system hooks without screwdrivers  
110 pieces, 1000 mm wide, 340 mm deep, example assortment – for PROTOP II, PROTOP II plus,  
PROTOP II impact, PROTOP II VDE  
art.-no. 23002



Display for shelf system hooks without screwdrivers  
220 pieces, 1000 mm wide, 540 mm deep, example assortment – for PROTOP II, PROTOP II plus,  
PROTOP II impact, PROTOP II VDE  
art.-no. 23003

# PROTOP® II *impact*



 **WITTE**  
WERKZEUGE

KIRCHHOFF WITTE GmbH  
Feldmühlenstraße 51  
58093 Hagen  
Postfach 4060 · 58040 Hagen  
Telefon: +49 2331 3607-0  
Telefax: +49 2331 3607-24  
E-Mail: [info@witte-werkzeuge.de](mailto:info@witte-werkzeuge.de)  
[www.witte-werkzeuge.de](http://www.witte-werkzeuge.de)

